

CHANGE REQUEST COVER SHEET

Change Request Number: 09-48

Date Received: 3/12/2009

Title: Security Requirements

Name: Brenda Carignan

Phone: 202-267-8392

Policy OR Guidance: Guidance

Section/Text Location Affected: 2.6.2 Attachment A - to Space Lease

Summary of Change: Language updated

Reason for Change: Language changed to reflect OPM mandate

Development, Review, and/or Concurrence: AIN-400

Target Audience: RECOs

Potential Links within FAST for the Change: none

Briefing Planned: No

ASAG Responsibilities: None

Potential Links within FAST for the Change: none

Links for New/Modified Forms (or) Documents (LINK 1)

Links for New/Modified Forms (or) Documents (LINK 2)

Links for New/Modified Forms (or) Documents (LINK 3)

SECTIONS EDITED:

Real Estate Guidance :

Section 2.6.3 : Attachment - A to Space Lease [\[Old Content\]](#)[\[New Content\]](#) [\[RedLine Content\]](#)

SECTIONS EDITED:

Section 2.6.3 : Attachment - A to Space Lease

Old Content: Real Estate Guidance :

Section 2.6.3 : Attachment - A to Space Lease

ATTACHMENT A

Lease Number

DTFA__ - __ - ____

I. SECTION A - GENERAL BUILDING REQUIREMENTS AND SPECIFICATIONS

A1-Ceilings (10/96)

Must have acoustical treatment with a flame spread of 25 or less and smoke development rating of 50 or less.

A2-Doors (10/96)

Exterior doors shall be weather tight, equipped with cylinder locks and door checks, automatic door closures and open outward. The FAA will be furnished at least two master keys and two keys for each lock. Interior doors must be solid cord and at least 32 by 80 inches with a minimum opening of 32 inches and be of sturdy construction. Fire doors shall conform to NFPA Standard No. 80. As designated by the FAA, doors shall be equipped with non-removable hinge pins, and "Best" locks with 7-pin removable cores. The FAA shall provide cores.

A3-Floor Load (8/02)

All adjoining floor areas shall be 1) of a common level not varying more than 1/4 inch over a 10-foot, 0-inch horizontal run in accordance with the American Concrete Institute standards, 2) non-slip, and 3) acceptable to the Real Estate Contracting Officer. Under floor surfaces shall be smooth and level. Office areas shall have a minimum live load capacity of 50 pounds per square foot plus 20 pounds per square foot for moveable partitions. Storage areas shall have a minimum live load capacity of 100 pounds per square foot including moveable partitions. A report showing the floor load capacity, at no cost to the Government, by a registered professional engineer may be required by the Contracting Officer.

A4-General Health and Safety Standards (8/02)

Local Health, Environmental (OSHA and EPA), and Safety Standards and Building Codes shall be complied with when accomplishing any cleaning, construction, renovation, remodeling, maintenance or testing done in the leased space and areas connected to or integrated with the leased space. Whenever FAA Standards require work processes

FAST Version 04/2009

CR 09-48

p. 2

or precautions to be provided, the Lessor shall coordinate with the FAA during the work so that proper requirements are met.

A5-HVAC (10/96)

Heating, ventilation and air-conditioning systems are required which maintain a temperature range of 68-72 degrees Fahrenheit year-round. These temperatures must be maintained throughout the leased premises and service areas regardless of outside temperatures during hours of operation. For further information see ASHRAE standard ANSI/ANSI/ASHRAE 62-1999 - Ventilation for Acceptable Indoor Air Quality.

A6-Lighting (10/96)

Modern, diffused, energy efficient (T-8 or better) fluorescent fixtures shall be provided maintaining a uniform lighting level of 50 foot candles at working surfaces. Emergency lighting must provide at least 0.5 foot candles of illumination throughout the exit path, including exit access routes, exit stairways, or other routes such as passageways to the outside of the building.

A7-Painting (8/02)

Prior to occupancy all surfaces must be newly painted with non-lead based paints in colors acceptable to the FAA. All surfaces must be repainted after working hours at Lessor's expense at least every five years. This includes moving and return of the furniture.

Any existing lead based paint shall be properly maintained and managed per existing regulatory requirements. If there is flaking paint, it would need to be sampled for lead. If containing lead, it would need to be abated prior to occupancy. This could be done either by removal or sealing with an encapsulating material.

A8-Parking (10/06)

At no additional cost to the FAA, the Lessor shall provide ** reserved off-street parking spaces located **. The Lessor shall maintain the parking areas in good repair and provide snow and ice removal.

A9- Prior Notification (8/02)

A pre-construction meeting shall be held at the facility prior to the commencement of any cleaning, construction, renovation, remodeling, repair, maintenance or testing within the leased premises and areas connected to or integrated with the leased premises. If any items on the checklist are questionable or undone, full resolution of the issues will be expected before the project starts. The pre-construction meeting will be planned, scheduled, and coordinated, with the Government's supervisor or manager responsible for the facility, at least one week before the execution of the work.

A10-Restrooms and Drinking Fountains (10/96)

Separate toilet facilities for men and women shall be provided on each floor where the FAA leases space. Water closets and urinals shall not be visible when the exterior door is open. Each toilet room shall contain toilet paper dispensers, soap dispensers, paper towel dispensers, waste receptacles; a coin operated sanitary napkin dispenser with receptacle for each women's toilet, disposable toilet seat cover dispensers, a convenience outlet, and hot and cold water for all restrooms. (The FAA will advise if additional facilities are required.). The Lessor shall provide a minimum of one chilled drinking fountain on each floor where the FAA leases space.

A11-Window and Floor Covering (8/02)

FAST Version 04/2009

CR 09-48

p. 3

All exterior windows shall be equipped with window covering. Floors will be carpeted with a commercial grade of carpet acceptable to the FAA. Existing floor and window covering may be accepted at the discretion of the Real Estate Contracting Officer however, prior to occupancy all carpeting and window covering shall be cleaned.

At no additional cost to the FAA, the Lessor shall replace carpeting at least every eight (8) years during FAA occupancy or any time during the lease when:

- Backing or underlayment is exposed
- There are noticeable variations in surface color or texture

Replacement includes moving and return of furniture.

II. SECTION B - SERVICES, UTILITIES, AND MAINTENANCE

B1-Grounds Maintenance (10/96)

The Lessor shall maintain in good condition landscape plants and lawns. The Lessor shall also remove snow and ice from the entrances, exterior walks and parking areas around the premises, prior to and during the Government's normal operating hours.

B2-Pest Control (8/02)

The Lessor shall exterminate and control pests within the premises within a timely manner as required by the Government. Notice shall be provided to the users of the building before any application of herbicide(s)/pesticide(s) or other chemical pest control. OSHA requirements for Hazard Communication shall apply for the use of hazardous materials used in pest control. Copies of Material Safety Data Sheets (MSDS) for all chemicals applied shall be provided to the FAA before application. Only licensed applicators shall be allowed to apply chemicals. Herbicides/pesticides are not to be applied near the outside air intakes of the building during normal working hours and when the system is in operation.

B3-Services and Facilities (10/96)

The Lessor shall provide to the Government, as part of the rental consideration, the following:

Heating, air conditioning, and ventilation that provide for the comfortable occupancy of the premises. Temperatures will be thermostatically controlled to maintain a temperature of 68 - 72 degrees Fahrenheit. These temperatures must be maintained throughout the leased premises and service areas, regardless of outside temperatures, during the FAA's normal hours of operation.

Electrical power to the premises for the operation of lights, communications equipment, and office machines.

Water (hot and cold) and sewer to leased premises.

Trash removal for leased premises.

B4-Utilities Not Provided By The Lessor (10/96)

If the cost of utilities is not included as part of the rental consideration, the Lessor must specify which utilities are excluded. The Lessor shall provide separate meters for utilities to be paid for by FAA. When FAA is to pay for utilities, the lessor will furnish the Real Estate Contracting Officer, prior to occupancy by the FAA, written verification of the meter numbers and certification that these meters will measure FAA usage only. Proration is not permissible. If the cost of utilities for heating, ventilation, and air conditioning is not included as part of the rental

FAST Version 04/2009

CR 09-48

p. 4

considerations, an automatic control system will be provided to assure compliance with heating and air conditioning provisions included in this specifications package.

III. SECTION C - SAFETY AND FIRE PREVENTION

C1-Fire and Safety Requirements (8/02)

All NFPA Standards addressed in this section reference the current edition of NFPA in place at the signing of this contract. At any point when construction takes place, systems should be brought into compliance according to the current edition of NFPA. The building shall, as required by Code, be equipped with automatic sprinklers which conform to NFPA No. 13, be maintained in accordance with NFPA No. 13A, have electrically supervised control valves (NFPA No. 13), and have water-flow alarm switches connected to automatically notify the local fire department (NFPA No. 72) or central station (NFPA No. 71). The notification of the fire department or central station shall be accomplished through the building fire alarm system. Regardless of code requirements when the leased space (including garage areas under lease by the FAA) is on the 6th floor and above, or below grade, sprinklers are required.

A manual fire alarm system shall be provided, maintained, and tested by the lessor in accordance with NFPA Standard No. 71 and 72 in buildings, which are three (3) or more stories in height or contain more than 50,000 square feet gross floor area. The fire alarm system wiring and equipment must be electrically supervised and automatically notify the local fire department and conform to NFPA Standards No. 70 and 72. Engineered smoke control systems, if present, shall be maintained in accordance with the manufacturer's recommendations.

Fire-safety, equivalent to the requirements stated above in this clause, may be accepted, at the discretion of the Real Estate Contracting Officer, if certified by a Licensed Fire Protection Engineer.

Portable fire extinguishers shall be provided, inspected, and maintained by the lessor in accordance with NFPA Standard No.10.

C2-Halon (8/02)

Wherever halon is used in a facility as a fire extinguishing system, the Lessor shall comply with all NFPA standards regarding use of and safety requirements for the use of halon.

C3-Indoor Air Quality (8/02)

The Lessor shall control contaminants at the source and/or operate the space in such a manner that the indicator levels for carbon monoxide (CO), carbon dioxide (CO₂), and formaldehyde (HCHO), are not exceeded. The indicator levels for office area are as follows: CO-9 parts per million (PPM) time weighted average (TWA - 8-hour sample); CO₂ - 1,000 PPM (TWA); HCHO - 0.1 PPM (TWA). All indoor air contaminant levels in leased space will be kept below appropriate OSHA regulations or Consensus standards, whichever is stricter. Air quality and facility cleaning will be adequate to prevent the growth of mold, mildew and bacteria. Any visual evidence of these will require immediate sampling and remediation. Moisture/standing water will be controlled to prevent the growth of these.

During working hours, ventilation shall be provided in accordance with the latest edition of ANSI/ASHRAE Standard 62, *Ventilation for Acceptable Indoor Air Quality*.

The Lessor shall promptly investigate indoor air quality (IAQ) complaints and shall implement controls including alteration of building operating procedures (e.g., adjusting air intakes, adjusting air distribution, cleaning and maintaining HVAC, etc.). The FAA is responsible for addressing IAQ problems resulting from its own activities.

MSDS will be provided for all cleaning solutions used in the FAA spaces.

C4-OSHA Requirements (10/96)

The Lessor shall provide space, services, equipment, and conditions that comply with Occupational Safety and Health Administration (OSHA) safety and Health standards (29 CFR 1910 and 1926).

C5-Radon (10/96)

Radon levels in space leased to the FAA shall not equal or exceed the EPA action level for buildings of four (4) picocuries per liter (pCi/L). If radon levels are found to be at or above 4 pCi/L, the Lessor shall develop and promptly implement a plan of corrective action.

C6-Refrigerants (8/02)

The Lessor shall identify which refrigerants are used in the HVAC systems in the spaces covered by this lease. The lease should provide for use of refrigerants consistent with EPA and ASHRAE requirements.

C7-Warranty Of Space (8/02)

(a) Notwithstanding inspection and acceptance by the Government or any provision concerning the conclusiveness thereof, the Lessor warrants that all space leased to the Government under this contract, spaces above suspended ceilings in the leased space, air plenums elsewhere in the building which service the leased space, engineering spaces in the same ventilation zone as the leased space, public spaces and common use space (e.g., lobbies, hallways) will, at the time of acceptance and during the term of the lease contract, comply with the asbestos containing material (ACM) and polychlorinated biphenyl (PCB) requirements of the Toxic Substance Control Act. The Real Estate Contracting Officer shall notify the Lessor in writing, within 30 days after the discovery, of any failure to comply with the asbestos requirement. With any construction work, lessor would be required to comply with the OSHA regulations for Asbestos and relevant FAA orders.

(b) The leased premises shall be free of all asbestos-containing material, PCB's, Radon, and other environmentally hazardous substances. If either ACMs or PCBs are found to be in the leased space the Government reserves the right to require the Lessor, at no cost to the GOVERNMENT, to take whatever corrective action as might be required by the Toxic Substance Control Act, EPA regulations and state requirements. All facilities constructed prior to 1981 are to have an asbestos building survey conducted by a qualified inspector including a visual examination and bulk sampling. All ACM survey reports are to be made available to the Real Estate Contracting Officer.

(c) If the Lessor fails, after receipt of notice, to make correction within the specified period of time, the Government shall have the right to make correction and charge to the Lessor the costs occasioned to the FAA or terminate the lease agreement at no cost to the Government.

(d) The rights and remedies of the FAA in this clause are in addition to any other rights and remedies provided by the law and under this contract.

(e) Definitions.

- (1) "Acceptance", as used in this clause means the act of an authorized representative of the Government by which the Government assumes for itself, or as an agent of another, the leased premises as ready for

occupancy or approves a portion of the premises for occupancy in accordance with the provisions of this lease contract.

- (2) "Correction", as used in this clause, means (i) the removal, encapsulation or enclosure of any friable asbestos materials found in the space leased to the Government, spaces above suspended ceilings in the leased space, air plenums elsewhere in the building which service the leased space, public spaces, engineering spaces in the same ventilation zone as the leased space and common use space (e.g., lobbies, hallways). Following such abatement actions, the Lessor shall adhere to the FAA's required post-asbestos-abatement air monitoring program. (ii) With regard to non-friable asbestos materials in good condition, it means the establishment and execution of a special operations and maintenance program and an abatement plan, approved by the Government, to be implemented from the time the materials are discovered through the remainder of the lease term, and (iii) with regard to PCBs, it involves the removal or retrofitting, in accordance with EPA regulations, of any PCB equipment present in the building.

IV. SECTION D – MISCELLANEOUS

D1-Adjustment For Vacant Premises (10/96)

If the Government fails to occupy any portion of the leased premises or vacates the premises in whole or in part prior to expiration of the firm term of the lease, the rental rate shall be reduced as follows: The rate shall be reduced by that portion of the costs per square foot of operating expenses not required to maintain the space. Said reduction shall occur after the Government gives 30 days prior notice to the Lessor, and shall continue in effect until the Government occupies the premises or the lease expires or is terminated.

D2 - Condition Report (10/96)

A joint physical survey and inspection report of the demised premises will be made as of the effective date of this lease, reflecting the then present condition, and will be signed on behalf of the parties hereto.

D3 - Contracting Officer's Representative (10/96)

The Lessor shall address all questions concerning this lease to ** who has been appointed the Contracting Officer's Representative for the administration of this lease, as written.

D4-Day to Day Extension (8/02)

The Government shall continue to occupy the premises for a period not to exceed 180 days after the end of the lease term including all option periods. The rent shall be paid monthly in arrears on a prorated basis at the rate paid on the date of the lease expiration, until one of the following events occurs: (1) the extension day period expires; (2) a new lease commences, (3) the Government acquires a fee simple or other long-term interest in the property through negotiation or eminent domain or (4) the Government vacates the leased premises; whichever occurs first. The accrued rent computed on a daily basis shall be due and payable in arrears at the end of each month until the amount accrued by the end of the month has been fully paid.

D5 - Display Advertising (10/96)

If the leased premises are solely for Government use, no advertising matter shall be constructed on or over the premises, unless authorized by the Real Estate Contracting Officer.

D6 - Erection of Signs (10/96)

The Government shall have the right to erect on or attach to the Lessor's premises such signs as may be required to clearly identify the Government's facility. Said signs so erected will remain the property of the Government and shall be removed from the premises upon termination of the Lease.

D7 - Hold Harmless (10/96)

In accordance with and subject to the conditions, limitations and exceptions set forth in the Federal Tort Claims Act of 1948, as amended (28 USC 2671 et. seq.), hereafter termed "the Act" the Government will be liable to persons damaged by any personal injury, death or injury to or loss of property, which is caused by a negligent or wrongful act or omission of an employee of the Government while acting within the scope of his office or employment under circumstances where a private person would be liable in accordance with the law of the place where the act or omission occurred. The foregoing shall not be deemed to extend the Government's liability beyond that existing under the Act at the time of such act or omission or to preclude the Government from using any defense available in law or equity.

D8 - If Minimum Not Delivered (10/96)

If delivered space contains less than the minimum square footage, the Government may cancel the lease. If such cancellation occurs, the Government may exercise its legal rights including charging the Lessor and its surety the increased cost of providing replacement space.

D9-Installation Of Antennas, Cables And Other Appurtenances (10/96)

The FAA shall have the right to install, operate and maintain antennas, wires and their supporting structures including any linking wires, connecting cables and conduits atop and within buildings and structures, or at other locations, as deemed necessary by the Government.

D10 - Interest For Late Payments (10/96)

If requested from the Lessor, the Government will pay an interest penalty when payment is not made within (30, 45, 60, 90, etc.)*** days of the due date.

Payment shall be considered as being made on the day a check is dated or an electronic funds transfer is made. All days referred to in this clause are calendar days, unless otherwise specified. Rent shall be paid monthly in arrears and will be due on the first workday of each month and only as provided for by the lease.

The interest penalty shall be at the rate established by the Secretary of the Treasury under Section 12 of the Contract Disputes Act of 1978 (41 U.S.C. 611) that is in effect on the day after the due date. This rate is referred to as the "Renegotiation Board Interest Rate," and it is published in the Federal Register semiannually on or about January 1 and July 1. Interest penalties of less than \$1.00 need not be paid.

Interest penalties will not be paid on delays due to disagreement between the Government and Lessor over the payment amount, requests for additional information or other issues involving contract compliance or on amounts temporally withheld or retain in accordance with the terms of the contract.

Payments other than rent, the Lessor shall prepare and submit an invoice to the designated billing office after completion of the work. An invoice shall include the following items:

(i) Name and address of the Lessor.

(ii) Invoice date.

(iii) Lease Number

(iv) Government's order number or other authorization.

(v) Description, price, and quantity of work or services delivered.

(vi) Name and address of Contractor official to whom payment is to be sent

D11 - Janitorial Services (10/96)

The Lessor shall maintain the leased premises, including outside areas in a clean condition. The Lessor shall provide the labor, materials, equipment and supervision necessary for that servicing. Listed below are the janitorial services to be provided and the frequency of those services.

Daily:

- a. Sweep floors using chemically treated absorbent or dusting tools (such as DEX or equal).
- b. Carpet sweep all carpeted areas, as needed.
- c. Empty waste baskets and containers; dispose of waste paper, trash, and other extraneous materials.
- d. Clean toilets rooms, including toilets and soap containers. Furnish and maintain constant supply of deodorant material.
- e. Wash all drinking fountains.
- f. In the restrooms:
 1. Clean restroom fixtures and chrome fittings.
 2. Clean and refill all dispensers (including deodorant material).
 3. Wet mop restroom floors.
 4. Sanitize toilets, toilet seats, and urinals.
 5. Spot wash walls, partitions, and doors.

2. Weekly:

- a. Dust counters, file cabinets, and telephones, and surfaces of all office furniture, fixtures, and window sills (except desk tops).
- b. Damp mop, and buff all non-carpeted floors.
- c. Vacuum all carpeted areas.

3. Monthly:

- a. Wash waste baskets.
- b. Damp mop and buff all non-carpeted floors.

FAST Version 04/2009

CR 09-48

p. 9

c. Vacuum all carpeted areas.

3. Monthly:

a. Wash waste baskets.

b. Damp mop and buff all non-carpeted floors; wax and buff non-carpeted floors.

c. Clean or wash walls as needed to present a neat appearance.

d. Dust all ledges and flat surfaces within reach.

e. Dust and clean all light fixtures.

f. Dust and clean all venetian blinds.

g. Wash restroom walls, partitions, and doors.

4. Semi-Annually:

a. Wash all exterior office windows.

5. Once a Year:

a. Strip old wax from all floor space and rewax. This service is to be performed in conjunction with one of the quarterly cleaning schedules.

b. Shampoo all carpeted floors.

D12 - Measurement For Payment (10/96)

The space will be mutually measured upon delivery. Payment will be made on the basis of actual measurement; however, payment will not be made for delivered space, which is in excess of the maximum square footage solicited.

D13 - Non-Restoration (10/96)

The FAA shall have no obligation to restore and/or rehabilitate, either wholly or partially, the premises under this lease. It is further agreed that the FAA may abandon in place any or all of the structures, improvements and/or equipment installed in or located upon said property by the FAA during its tenure. Notice of abandonment will be conveyed to the Lessor in writing.

D14 – Occupancy Permit (8/02) - The premises offered shall have a valid Occupancy Permit, issued by the local jurisdiction, for the intended use of the Government, or the Offeror shall complete and provide a certified copy of "FAA Safety & Environmental Checklist " form, in lieu of an occupancy permit, at the contracting officer's discretion. The leased premises, all accesses to the leased premises, building operations, equipment, services, or utilities furnished by the Lessor, and activities of other occupants, shall be free of safety, health, and fire hazards. When such hazards are detected, they must be promptly corrected at the Lessor's expense.

D15 - Operating Costs Escalator (10/96)

Beginning with the second year of the lease and each year after, Government shall pay adjusted rent for changes in costs for cleaning services, supplies, materials, maintenance, trash removal, landscaping, water, sewer charges, heating, electricity, and certain administrative expenses attributable to occupancy.

The amount shall be determined by multiplying the total first year's estimated costs of these items, as negotiated and established prior to the lease award, by the percent of change in the cost of living index from the base figure. The base figure shall be the index figure published for the month prior to the lease commencement date. The percent change shall be computed by comparing the base figure with the index figure published for the month, which begins each successive 12-month period. For example, a lease which commences in June of 1981 would have as the base figure the index published for May of 1981, and that figure would be compared with the index published for May of 1982, May of 1983, and so on, to determine the percent change. The U.S. Department of Labor Revised Consumer Price Index shall measure the cost of living index for Wage Earners and Clerical Workers, U.S. City Average, All Items figure, (1967=100) published by the Bureau of Labor Statistics. Payment shall be made with the monthly installment of fixed rent.

Rental adjustments shall be effective on the anniversary date of the lease. Payment of the adjusted rental rate shall become due on the first workday of the second month following the publication of the cost of living index for the month prior to the lease commencement date.

If Government exercises an option to extend the lease term at the same rate as that of the original term, the option price shall be based on the adjustments during the original term. Annual adjustments will continue.

In the event of any decreases in the cost of living index occurring during the term of occupancy under the lease, the rental amount will be reduced accordingly. The amount of any such reductions will be determined in the same manner as increases in rent provided under this clause.

The base for the operating costs adjustment will be \$_____

D16-Plans (8/02)

Thirty days after occupancy, lessor must submit a final set of hard copy as-built plans and reproducible floor plans in 1/8" scale depicting rented space and identifying entrances, exits, stairs, windows, partitions, closets, architectural, construction documents to include but not limited to electrical, mechanical, structural, fire protection, plumbing plans, architectural plans, lighting plans, furniture plans, installation plans, typical workstations, etc. A CAD program compatible with the latest release of AutoCAD and accessible and readable by the Government for future use shall generate the plans. The file(s) will be dwg format. All files shall be submitted on 3-1/2-inch double-sided, high-density diskettes, or, if approved by the Contracting Officer, on CD-ROM or QIC (1/4-inch cartridge) tape. The submitted disks shall be labeled with building name, address, list of drawing(s), date of the drawing(s), and Lessor's architect and phone number. The Lessor's operators shall demonstrate the submission on FAA equipment, if requested by the Real Estate Contracting Officer.

D17 - Progressive Occupancy (10/96)

The Government shall pay rent only when the entire premises or suitable units are ready for occupancy. If the agency occupies the space in partial increments, rent will accrue or be paid on a pro rata basis. Rental payments shall become due on the first workday of the month following the month in which an increment of space is occupied, except that should an increment of space be occupied after the fifteenth day of the month, the payment due date will be the first workday of the second month following the month in which it was occupied. The commencement date of the firm term will be a composite determined from all dates of incremental occupancy.

D18 - Tax Adjustment (10/96)

(a) The Government shall pay additional rent for its share of increases in real estate taxes over taxes paid for the calendar year in which its lease commences (base year). Payment will be in a lump sum and become due on the first workday of the month following the month in which paid tax receipts for the base year and the current year are presented, or the anniversary date of the lease, whichever is later. The Government will be responsible for payment only if the receipts are submitted within 60 calendar days of the date the tax payment is due. If no full tax assessment is made during the calendar year in which the Government lease commences, the base year will be the year of a full assessment.

(b) The Government's share of the tax increase will be based on the ratio of the square feet occupied by the Government to the total rentable square feet in the building. If the Government's lease terminates before the end of a calendar year, payment will be based on the percentage of the year in which the Government occupied space. The payment will not include penalties for non-payment or delay in payment. If there is any variance between the assessed value of the Government's space and other space in the building, the Government may adjust the basis for determining its share of the tax increase.

(c) The Government may contest the tax assessment by initiating legal proceedings on behalf of the Government and the Lessor or the Government alone. If the Government is precluded from taking legal action, the Lessor shall contest the assessment upon reasonable notice by the Government. The Government shall reimburse the Lessor for all costs and shall execute all documents required for the legal proceedings. The Lessor shall agree with the accuracy of the documents. The Government shall receive its share of any tax refund. If the Government elects to contest the tax assessment, payment of the rent shall become due on the first workday of the month following conclusion of the appeal proceedings.

(d) In the event of any decreases in real estate taxes occurring during the term of occupancy under the lease, the rental amount will be reduced accordingly. The amount of any such reductions will be determined in the same manner as increases in rent provided under this clause.

D19 - Time Extensions (10/96)

The lease will not be terminated nor the Lessor charged with resulting damage if delays arise from unforeseeable causes beyond the control of the Lessor and/or his contractors, subcontractors, suppliers, or another Government contractor. However, the Lessor shall notify the Real Estate Contracting Officer, in writing, of any delay within 10 calendar days after it begins. The Real Estate Contracting Officer shall ascertain the facts, determine the extent of the delay, and grant extensions when justified.

D20-Unauthorized Negotiating (10/96)

In no event shall the Lessor enter into negotiations concerning the space leased or to be leased with other than the real estate contracting officer or his designee.

D21-Wiring For Telephones (10/96)

The Government reserves the right to provide its own telephone service in the space to be leased. It may have inside wiring and telephone equipment installed by the local telephone company or a private contractor. Alternately, the FAA may wish to consider using inside wiring provided by the building, if available. However, the final decision will remain the Government.

V. SECTION E – SECURITY REQUIREMENTS

E-1. Facility Security (1/07)

FAST Version 04/2009

CR 09-48

p. 12

Security requirements for Government occupied space must meet minimum-security accreditation standards for the type of facility covered by this lease. The FAA Facility Security Management Program defines facility security accreditation standard levels. The security requirements identified below are tailored specifically for the type of facility covered by this solicitation. The Lessor shall provide or make accommodation to provide for all the security requirements listed herein for the leased premises covered by this lease agreement:

Contact your local Servicing Security Element (SSE) at _____ for a list of your security requirements.

The local SSE will determine any additional security upgrades that are required to meet accreditation and shall conduct a final security assessment of the building. The Lessor shall provide maintenance services to the security upgrades installed within the leased premises and covered under this lease.

E-2. Contractor Personnel Suitability Requirements (1/07)

(a) This clause applies to the extent that this contract requires contractor employees, subcontractors, or consultants to have unescorted access to FAA:

(1) Facilities;

(2) Sensitive information; and/or

(3) Resources regardless of the location where such access occurs, and none of the exceptions of FAA Order 1600.72A, Contractor and Industrial Security Program, Chapter 5, paragraphs 4, 6, 7 and 8 pertains.

Definitions of applicable terminology are contained in the corresponding guidance and Order 1600.72A, appendix A.

(b) Consistent with FAA Order 1600.72A, the FAA Servicing Security Element (SSE) has approved designated risk levels for the positions under the contract.

(c) Not later than five (5) business days, not to exceed a maximum of 30 days, after contract award (or date of modification, if this provision is included by modification to an existing contract), for each employee in a listed position requiring access, provided, no previous background investigations can be supported as described below, the contractor will submit the following documentation to the SSE for an employment suitability determination:

- Standard Form (SF) 85P, Questionnaire for Public Trust Positions as designated by the Contractor Position Risk/Sensitivity Level Designation Record, FAA Form 1600-77, will be completed (all questions answered) in accordance with the instruction sheet.

- One fingerprint card (FD-258). Fingerprints will be taken by those individuals who have been identified, as either, a Trusted Agent or a Personal Identity Verification (PIV) registrar (SSE).

In some instances, the fingerprint only may be required and an OF-306 Declaration for Federal Employment, most current edition, will also be submitted.

The applicant will appear in person and provide two forms of identity source documents in original form to the PIV Registrar (SSE) or the authorized Trusted Agent. The identity source documents must come from the list of acceptable documents included in Form I-9, OMB No. 1115-0136, Employment Eligibility Verification or version of the DOT F 1681 containing the list of acceptable identity verification documents. At least one document will be a valid State or Federal Government-issued picture Identification. A signed I-9 Form may be used but must indicate the two source documents that were verified.

The type of investigation conducted will be determined by the position risk level designation for all duties, functions, and/or tasks performed and will serve as the basis for granting a favorable employment suitability authorization as described in FAA Order 1600.72A. If an employee has had a previous U. S. Government conducted background investigation which meets the requirements of Chapter 5 of FAA Order 1600.72A and Homeland Security Presidential Directive 12 (HSPD-12), it will be accepted by the FAA. However, the FAA reserves the right to conduct further investigations, if necessary. For each contractor employee for which a previous background investigation was completed, the contractor will provide, in writing to the SSE, the name, date of birth, place of birth, and social security number of the employee, the name of the investigating entity, type of background investigation conducted, and approximate date the previous background investigation was completed. For all contracts over six (6) months in duration, the minimum background investigation requirement will be a National Agency Check with Inquiries (NACI). Please check with your SSE for final determination as to OPM background investigation type required. The contract may include positions that are temporary, seasonal, or under escort only. In such cases, a FAA Form 1600-77 for each specific position will be established as the investigative requirements may differ from the NACI.

The contractor must submit the required information with a transmittal letter referencing the contract number and this request to:

Headquarters Contracts:

Manager, Personnel Security Division, AIN-400, Room 315, Washington, DC 20591

Regional and Center Contracts:

[CO to insert appropriate Regional or Center information here or enter "none" if not applicable]

The transmittal letter must also include a list of all of the names of contractor employees and their positions for which completed forms will be submitted to the SSE pursuant to this Clause. A copy of the transmittal letter must also be provided to the Contracting Officer/Contracting Officer's Technical Representative (COTR) minus any privacy act information.

(d) The contractor must submit the information required by Section (c) of this Clause for any new employee not listed in the Contractor's initial submission who is hired into any position identified in Section (c) of this Clause.

(e) The Contracting Officer will provide notice to the contractor when any contractor employee is found to be unsuitable or otherwise objectionable, or whose conduct appears contrary to the public interest, or inconsistent with the best interest of national security. The contractor must take appropriate action, including the removal of such employee from working on this FAA contract, at their own expense. The Contracting Officer will confirm to the SSE that the action has been taken.

(f) No contractor employee will work in a high, moderate, or low risk position unless the SSE has received all forms necessary to conduct any required investigation and has authorized the contractor employee to begin work.

(g) As applicable, the contractor must submit quarterly/bi-annual reports to the Contracting Officer with a copy to the SSE and the Operating Office on or before the fifth (5th) business day following each report period. This report must include a complete alphabetical listing of all current contractors who are currently supporting the contract and a separate listing of all terminated contractors.

(h) The contractor must notify the CO within one (1) business day after any employee identified pursuant to Section (c) of this Clause is terminated from performance on the contract.

(i) The Contracting Officer may also, after coordination with the SSE and other security specialists, require contractor employees to submit any other security information (including additional fingerprinting) deemed

FAST Version 04/2009

CR 09-48

p. 14

reasonably necessary to protect the interests of the FAA. In this event, the contractor must provide, or cause each of its employees to provide such security information to the SSE, and the same transmittal letter requirements of Section (c) of this Clause applies.

(j) The contractor and/or subcontractor(s) must immediately contact the Servicing Security Elements (Regional and/or Center Security Divisions) or AIN-400 at Headquarters in the event an employee is arrested (detained by law enforcement for any offenses, other than minor traffic offenses) or is involved in theft of government property or the contractor becomes aware of any information that may raise a question about the suitability of a contractor employee.

(k) Failure to submit information required by this clause within the time required may be determined by the Contracting Officer a material breach of the contract.

(l) If subsequent to the effective date of this contract, the security classification or security requirements under this contract are changed by the Government and if the changes cause an increase or decrease in direct contract costs or otherwise affect any other term or condition of this contract, the contract will be subject to an equitable adjustment.

(m) The contractor agrees to insert terms that conform substantially to the language of this clause, including this paragraph (l) but excluding any reference to the Changes clause of this contract, in all subcontracts under this contract that involve access and where the exceptions under Chapter 5, FAA Order 1600.72A do not apply.

(n) The Contracting Officer will ensure the SSE receives a list of all proposed contractor employees, the name of the contracting company, contract number, duty location, identification of the funding line of business, and the names of the contracting officers and COTR for each contract within five (5) business days of contract award. If the Contracting Officer provided the SSE a solicitation number during pre-award, the contracting officer will ensure the SSE is notified of the contract number.

(o) Contractor employees who have not undergone a background investigation must be escorted at all times. In some instances, a contractor employee may be required to serve as an escort. In this situation, the contractor employee must have a completed and favorably adjudicated National Agency Check with Inquiries (NACI).

E-3. Government-Issued Keys, Personal Identity Verification (PIV) cards, and Vehicle Decals (1/07)

(a) It may become necessary for the Government to issue keys, PIV cards, vehicle decals, and/or access control cards to contractor employees. Prior to or upon completion or termination of the work required hereunder, the contractor must return all such Government-issued items to the issuing office with notification to the Contracting Officer's Technical Representative (COTR). When contractor employees who have been issued such items are terminated or no longer required to perform the work, the Government-issued items must be returned to the Government within three (3) business days or upon termination of the contract or the employee. Improper use, possession or alteration of FAA issued keys, PIV Cards and/or vehicle decals is subject to penalties under Title 18, USC 499, 506, and 701.

(b) In the event such keys, PIV Cards, or vehicle decals are not returned, the contractor understands and agrees that the Government may, in addition to any other withholding provision of the contract, withhold [CO to enter appropriate amount] for each key PIV Card, and vehicle decal not returned. If the keys, PIV Cards, or vehicle decals are not returned within 30 calendar days from the date the withholding action was initiated, any amount so withheld must be forfeited by the contractor.

(c) Access to aircraft ramp/hangar areas is authorized only to those persons displaying a flight line identification card and for vehicles, a current ramp permit issued pursuant to Title 49, Part 1542, Code of Federal Regulations.

(d) The Government retains the right to inspect inventory, or audit PIV Cards, keys, vehicle decals, and access control cards issued to the contractor in connection with the contract at the convenience of the Government. Any

items not accounted for, to the satisfaction of the Government will be assumed to be lost and the provisions of section (b) apply.

(e) Keys must be obtained from the COTR who will require the contractor to sign a receipt for each key obtained. Lost keys, PIV Cards, vehicle decals, and access control cards must immediately be reported concurrently to the Contracting Officer (CO), COTR, and [CO to insert name of local security division or staff and facility management office]. Electronic keying cards are handled in the same manner as metal keys.

(f) Each contract employee, during all times of on-site performance at the [CO to insert location] must prominently display his/her current and valid PIV card on the front portion of his/her body between the neck and waist. Each PIV cardholder must not affix pins, stickers, or other decorations to the PIV.

(1) Prior to any contractor employee obtaining a PIV Card or vehicle decals, the contract employee is required to report in person to the SSE Registrar or an FAA designated trusted agent for fingerprinting, photographing, and to submit their required investigation forms as described in AMS clause 3.14-2, Contractor Personnel Suitability Requirements. The investigative forms must be submitted to [CO to insert name and location of security division or staff] by the contractor in a sealed envelope either hand carried by the contractor or sent via U.S.

mail to: [CO to insert mailing address]. The SSE will review the forms and approve interim suitability prior to the contract employee beginning work. When an interim is granted by the SSE, the individual may begin work under escort until their OPM fingerprint check has been returned and successfully adjudicated at such time they can then be badge. If the contract employee requires a PIV Card, the fingerprint check must be completed and favorably adjudicated by the SSE prior to approval or issuance of the PIV card.

(2) To obtain the PIV Card, contractor employee must submit an identification Card/Credential Application (DOT 1681) signed by the contractor employee and by the authorized trusted agent (when applicable) and also by the authorized sponsor to the CO or to the COTR. The DOT 1681 must contain, as a minimum, under the "Credential Justification" heading, the name of the contractor/company, the contract number or the appropriate acquisition identification number, the expiration date of the contract or the task (whichever is sooner), and the required signatures. The contractor will be notified when the DOT 1681 has been approved and is ready for processing by the [CO to insert name and location of the person who will process the document]. Arrangements for processing the identification cards, including photographs and lamination can be made by the contacting [CO to insert point of contact with phone number].

(3) The contractor must contact the SSE to obtain the procedures that the contractor's employees must utilize to obtain their PIV Card.

(g) The contractor is responsible for ensuring final out-processing is accomplished for all departing contractor employees. Final out-processing must be accomplished by close of business the final workday of the contractor employee or the next day under special conditions. The SSE must be notified in writing and ensure that all FAA medial, including the PIV card are returned to the SSE.

E-4. Escort Clause (1/07)

When the SSE has determined that contractor employees or other persons by agreement are exempt from any investigative requirements, those contractor employees must be escorted at all times by an FAA or contractor personnel who have been appropriately investigated, favorably adjudicated, and authorized to provide escort, while on FAA premises having access to FAA facilities, sensitive information, and/or resources. The escort must keep the escort-required contractor employee or other person in plain view at all times and must be constantly aware of the contractor employee's or other person's actions.

E-5 Foreign Nationals as Contractor Employees (1/07)

FAST Version 04/2009

CR 09-48

p. 16

(a) Each employee of the contractor must be a citizen of the United States of America, or an alien who has been lawfully admitted for permanent residence as evidenced by Alien Registration Receipt Card Form I-151, or who presents other evidence from the U.S. Citizenship and Immigration Service that employment must not affect his/her immigration status.

(b) Aliens and foreign nationals proposed under this contract must meet the following conditions in accordance with FAA Order 1600.72A, chapter 5, paragraph 7 & 8:

(1) Must have resided within the United States for three (3) of the last five (5) years unless a waiver of this requirement is requested and approved in accordance with the requirements stated in FAA Order 1600.72A, chapter 5, paragraph 9;

(2) A risk or sensitivity level designation can be made for the position; and

(3) The appropriate security-related background investigation/inquiry can be adequately conducted.

(c) Interim suitability requirements may not be applied unless the position is low/moderate in risk, and/or temporary, and/or is not in a critical area position.

E-6. Sensitive Unclassified Information (SUI) (1/07)

(a) Sensitive information must be restricted to specific contractors who:

(1) Have a need "to know" to perform contract tasks;

(2) Meet personnel suitability security requirements to access sensitive information; and

(3) Successfully complete a non-disclosure agreement (NDA).

(b) The contractor must develop and implement procedures to ensure that sensitive information is handled in accordance with FAA requirements and at a minimum, must address:

(1) Steps to minimize risk of access by unauthorized persons during business and non-business hours to include storage capability;

(2) Procedures for safeguarding during electronic transmission (voice, data, fax) mailing or hand carrying;

(3) Procedures for protecting against co-mingling of information with general contractor data system/files;

(4) Procedures for marking documents with both the protective marking and the distribution limitation statement as needed;

(5) Procedures for the reproduction of subject material;

(6) Procedures for reporting unauthorized access; and

(7) Procedures for the destruction and/or sanitization of such material.

VI. SECTION F - SPECIAL REQUIREMENTS (if applicable)

FAST Version 04/2009

CR 09-48

p. 17

VII. CERTIFICATION FORMS (8/02) -

See attached forms:

Certification of Seismic Compliance

FAA Safety and Environmental Certification Checklist

Vendor/Miscellaneous Payment Information Form

**New Content: Real Estate Guidance :
Section 2.6.3 : Attachment - A to Space Lease**

ATTACHMENT A

Lease Number

DTFA__-__-_____

I. SECTION A - GENERAL BUILDING REQUIREMENTS AND SPECIFICATIONS

A1-Ceilings (10/96)

Must have acoustical treatment with a flame spread of 25 or less and smoke development rating of 50 or less.

A2-Doors (10/96)

Exterior doors shall be weather tight, equipped with cylinder locks and door checks, automatic door closures and open outward. The FAA will be furnished at least two master keys and two keys for each lock. Interior doors must be solid wood and at least 32 by 80 inches with a minimum opening of 32 inches and be of sturdy construction. Fire doors shall conform to NFPA Standard No. 80. As designated by the FAA, doors shall be equipped with non-removable hinge pins, and "Best" locks with 7-pin removable cores. The FAA shall provide cores.

A3-Floor Load (8/02)

All adjoining floor areas shall be 1) of a common level not varying more than 1/4 inch over a 10-foot, 0-inch horizontal run in accordance with the American Concrete Institute standards, 2) non-slip, and 3) acceptable to the Real Estate Contracting Officer. Under floor surfaces shall be smooth and level. Office areas shall have a minimum live load capacity of 50 pounds per square foot plus 20 pounds per square foot for moveable partitions. Storage areas shall have a minimum live load capacity of 100 pounds per square foot including moveable partitions. A report showing

FAST Version 04/2009

CR 09-48

p. 18

the floor load capacity, at no cost to the Government, by a registered professional engineer may be required by the Contracting Officer.

A4-General Health and Safety Standards (8/02)

Local Health, Environmental (OSHA and EPA), and Safety Standards and Building Codes shall be complied with when accomplishing any cleaning, construction, renovation, remodeling, maintenance or testing done in the leased space and areas connected to or integrated with the leased space. Whenever FAA Standards require work processes or precautions to be provided, the Lessor shall coordinate with the FAA during the work so that proper requirements are met.

A5-HVAC (10/96)

Heating, ventilation and air-conditioning systems are required which maintain a temperature range of 68-72 degrees Fahrenheit year-round. These temperatures must be maintained throughout the leased premises and service areas regardless of outside temperatures during hours of operation. For further information see ASHRAE standard ANSI/ ANSI/ASHRAE 62-1999 - Ventilation for Acceptable Indoor Air Quality.

A6-Lighting (10/96)

Modern, diffused, energy efficient (T-8 or better) fluorescent fixtures shall be provided maintaining a uniform lighting level of 50 foot candles at working surfaces. Emergency lighting must provide at least 0.5 foot candles of illumination throughout the exit path, including exit access routes, exit stairways, or other routes such as passageways to the outside of the building.

A7-Painting (8/02)

Prior to occupancy all surfaces must be newly painted with non-lead based paints in colors acceptable to the FAA. All surfaces must be repainted after working hours at Lessor's expense at least every five years. This includes moving and return of the furniture.

Any existing lead based paint shall be properly maintained and managed per existing regulatory requirements. If there is flaking paint, it would need to be sampled for lead. If containing lead, it would need to be abated prior to occupancy. This could be done either by removal or sealing with an encapsulating material.

A8-Parking (10/06)

At no additional cost to the FAA, the Lessor shall provide ** reserved off-street parking spaces located **. The Lessor shall maintain the parking areas in good repair and provide snow and ice removal.

A9- Prior Notification (8/02)

A pre-construction meeting shall be held at the facility prior to the commencement of any cleaning, construction, renovation, remodeling, repair, maintenance or testing within the leased premises and areas connected to or integrated with the leased premises. If any items on the checklist are questionable or undone, full resolution of the issues will be expected before the project starts. The pre-construction meeting will be planned, scheduled, and coordinated, with the Government's supervisor or manager responsible for the facility, at least one week before the execution of the work.

A10-Restrooms and Drinking Fountains (10/96)

Separate toilet facilities for men and women shall be provided on each floor where the FAA leases space. Water closets and urinals shall not be visible when the exterior door is open. Each toilet room shall contain toilet paper dispensers, soap dispensers, paper towel dispensers, waste receptacles; a coin operated sanitary napkin dispenser with receptacle for each women's toilet, disposable toilet seat cover dispensers, a convenience outlet, and hot and cold water for all restrooms. (The FAA will advise if additional facilities are required.). The Lessor shall provide a minimum of one chilled drinking fountain on each floor where the FAA leases space.

A11-Window and Floor Covering (8/02)

All exterior windows shall be equipped with window covering. Floors will be carpeted with a commercial grade of carpet acceptable to the FAA. Existing floor and window covering may be accepted at the discretion of the Real Estate Contracting Officer however, prior to occupancy all carpeting and window covering shall be cleaned.

At no additional cost to the FAA, the Lessor shall replace carpeting at least every eight (8) years during FAA occupancy or any time during the lease when:

- Backing or underlayment is exposed
- There are noticeable variations in surface color or texture

Replacement includes moving and return of furniture.

II. SECTION B - SERVICES, UTILITIES, AND MAINTENANCE

B1-Grounds Maintenance (10/96)

The Lessor shall maintain in good condition landscape plants and lawns. The Lessor shall also remove snow and ice from the entrances, exterior walks and parking areas around the premises, prior to and during the Government's normal operating hours.

B2-Pest Control (8/02)

The Lessor shall exterminate and control pests within the premises within a timely manner as required by the Government. Notice shall be provided to the users of the building before any application of herbicide(s)/pesticide(s) or other chemical pest control. OSHA requirements for

Hazard Communication shall apply for the use of hazardous materials used in pest control. Copies of Material Safety Data Sheets (MSDS) for all chemicals applied shall be provided to the FAA before application. Only licensed applicators shall be allowed to apply chemicals. Herbicides/pesticides are not to be applied near the outside air intakes of the building during normal working hours and when the system is in operation.

B3-Services and Facilities (10/96)

The Lessor shall provide to the Government, as part of the rental consideration, the following:

Heating, air conditioning, and ventilation that provide for the comfortable occupancy of the premises. Temperatures will be thermostatically controlled to maintain a temperature of 68 - 72 degrees Fahrenheit. These temperatures must be maintained throughout the leased premises and service areas, regardless of outside temperatures, during the FAA's normal hours of operation.

Electrical power to the premises for the operation of lights, communications equipment, and office machines.

Water (hot and cold) and sewer to leased premises.

Trash removal for leased premises.

B4-Utilities Not Provided By The Lessor (10/96)

If the cost of utilities is not included as part of the rental consideration, the Lessor must specify which utilities are excluded. The Lessor shall provide separate meters for utilities to be paid for by FAA. When FAA is to pay for utilities, the lessor will furnish the Real Estate Contracting Officer, prior to occupancy by the FAA, written verification of the meter numbers and certification that these meters will measure FAA usage only. Proration is not permissible. If the cost of utilities for heating, ventilation, and air conditioning is not included as part of the rental considerations, an automatic control system will be provided to assure compliance with heating and air conditioning provisions included in this specifications package.

III. SECTION C - SAFETY AND FIRE PREVENTION

C1-Fire and Safety Requirements (8/02)

All NFPA Standards addressed in this section reference the current edition of NFPA in place at the signing of this contract. At any point when construction takes place, systems should be brought into compliance according to the current edition of NFPA. The building shall, as required by Code, be equipped with automatic sprinklers which conform to NFPA No. 13, be maintained in accordance with NFPA No. 13A, have electrically supervised control valves (NFPA No. 13), and have water-flow alarm switches connected to automatically notify the local fire department (NFPA No. 72) or central station (NFPA No. 71). The notification of the fire

department or central station shall be accomplished through the building fire alarm system. Regardless of code requirements when the leased space (including garage areas under lease by the FAA) is on the 6th floor and above, or below grade, sprinklers are required.

A manual fire alarm system shall be provided, maintained, and tested by the lessor in accordance with NFPA Standard No. 71 and 72 in buildings, which are three (3) or more stories in height or contain more than 50,000 square feet gross floor area. The fire alarm system wiring and equipment must be electrically supervised and automatically notify the local fire department and conform to NFPA Standards No. 70 and 72. Engineered smoke control systems, if present, shall be maintained in accordance with the manufacturer's recommendations.

Fire-safety, equivalent to the requirements stated above in this clause, may be accepted, at the discretion of the Real Estate Contracting Officer, if certified by a Licensed Fire Protection Engineer.

Portable fire extinguishers shall be provided, inspected, and maintained by the lessor in accordance with NFPA Standard No.10.

C2-Halon (8/02)

Wherever halon is used in a facility as a fire extinguishing system, the Lessor shall comply with all NFPA standards regarding use of and safety requirements for the use of halon.

C3-Indoor Air Quality (8/02)

The Lessor shall control contaminants at the source and/or operate the space in such a manner that the indicator levels for carbon monoxide (CO), carbon dioxide (CO₂), and formaldehyde (HCHO), are not exceeded. The indicator levels for office area are as follows: CO-9 parts per million (PPM) time weighted average (TWA - 8-hour sample); CO₂ - 1,000 PPM (TWA); HCHO - 0.1 PPM (TWA). All indoor air contaminant levels in leased space will be kept below appropriate OSHA regulations or Consensus standards, whichever is stricter. Air quality and facility cleaning will be adequate to prevent the growth of mold, mildew and bacteria. Any visual evidence of these will require immediate sampling and remediation. Moisture/standing water will be controlled to prevent the growth of these.

During working hours, ventilation shall be provided in accordance with the latest edition of ANSI/ASHRAE Standard 62, *Ventilation for Acceptable Indoor Air Quality*.

The Lessor shall promptly investigate indoor air quality (IAQ) complaints and shall implement controls including alteration of building operating procedures (e.g., adjusting air intakes, adjusting air distribution, cleaning and maintaining HVAC, etc.). The FAA is responsible for addressing IAQ problems resulting from its own activities.

MSDS will be provided for all cleaning solutions used in the FAA spaces.

C4-OSHA Requirements (10/96)

FAST Version 04/2009

CR 09-48

p. 22

The Lessor shall provide space, services, equipment, and conditions that comply with Occupational Safety and Health Administration (OSHA) safety and Health standards (29 CFR 1910 and 1926).

C5-Radon (10/96)

Radon levels in space leased to the FAA shall not equal or exceed the EPA action level for buildings of four (4) picocuries per liter (pCi/L). If radon levels are found to be at or above 4 pCi/L, the Lessor shall develop and promptly implement a plan of corrective action.

C6-Refrigerants (8/02)

The Lessor shall identify which refrigerants are used in the HVAC systems in the spaces covered by this lease. The lease should provide for use of refrigerants consistent with EPA and ASHRAE requirements.

C7-Warranty Of Space (8/02)

(a) Notwithstanding inspection and acceptance by the Government or any provision concerning the conclusiveness thereof, the Lessor warrants that all space leased to the Government under this contract, spaces above suspended ceilings in the leased space, air plenums elsewhere in the building which service the leased space, engineering spaces in the same ventilation zone as the leased space, public spaces and common use space (e.g., lobbies, hallways) will, at the time of acceptance and during the term of the lease contract, comply with the asbestos containing material (ACM) and polychlorinated biphenyl (PCB) requirements of the Toxic Substance Control Act. The Real Estate Contracting Officer shall notify the Lessor in writing, within 30 days after the discovery, of any failure to comply with the asbestos requirement. With any construction work, lessor would be required to comply with the OSHA regulations for Asbestos and relevant FAA orders.

(b) The leased premises shall be free of all asbestos-containing material, PCB's, Radon, and other environmentally hazardous substances. If either ACMs or PCBs are found to be in the leased space the Government reserves the right to require the Lessor, at no cost to the GOVERNMENT, to take whatever corrective action as might be required by the Toxic Substance Control Act, EPA regulations and state requirements. All facilities constructed prior to 1981 are to have an asbestos building survey conducted by a qualified inspector including a visual examination and bulk sampling. All ACM survey reports are to be made available to the Real Estate Contracting Officer.

(c) If the Lessor fails, after receipt of notice, to make correction within the specified period of time, the Government shall have the right to make correction and charge to the Lessor the costs occasioned to the FAA or terminate the lease agreement at no cost to the Government.

(d) The rights and remedies of the FAA in this clause are in addition to any other rights and remedies provided by the law and under this contract.

(e) Definitions.

- (1) "Acceptance", as used in this clause means the act of an authorized representative of the Government by which the Government assumes for itself, or as an agent of another, the leased premises as ready for occupancy or approves a portion of the premises for occupancy in accordance with the provisions of this lease contract.
- (2) "Correction", as used in this clause, means (i) the removal, encapsulation or enclosure of any friable asbestos materials found in the space leased to the Government, spaces above suspended ceilings in the leased space, air plenums elsewhere in the building which service the leased space, public spaces, engineering spaces in the same ventilation zone as the leased space and common use space (e.g., lobbies, hallways). Following such abatement actions, the Lessor shall adhere to the FAA's required post-asbestos-abatement air monitoring program. (ii) With regard to non-friable asbestos materials in good condition, it means the establishment and execution of a special operations and maintenance program and an abatement plan, approved by the Government, to be implemented from the time the materials are discovered through the remainder of the lease term, and (iii) with regard to PCBs, it involves the removal or retrofitting, in accordance with EPA regulations, of any PCB equipment present in the building.

IV. SECTION D – MISCELLANEOUS

D1-Adjustment For Vacant Premises (10/96)

If the Government fails to occupy any portion of the leased premises or vacates the premises in whole or in part prior to expiration of the firm term of the lease, the rental rate shall be reduced as follows: The rate shall be reduced by that portion of the costs per square foot of operating expenses not required to maintain the space. Said reduction shall occur after the Government gives 30 days prior notice to the Lessor, and shall continue in effect until the Government occupies the premises or the lease expires or is terminated.

D2 - Condition Report (10/96)

A joint physical survey and inspection report of the demised premises will be made as of the effective date of this lease, reflecting the then present condition, and will be signed on behalf of the parties hereto.

D3 - Contracting Officer's Representative (10/96)

The Lessor shall address all questions concerning this lease to ** who has been appointed the Contracting Officer's Representative for the administration of this lease, as written.

D4-Day to Day Extension (8/02)

The Government shall continue to occupy the premises for a period not to exceed 180 days after the end of the lease term including all option periods. The rent shall be paid monthly in arrears on a prorated basis at the rate paid on the date of the lease expiration, until one of the following events occurs: (1) the extension day period expires; (2) a new lease commences, (3) the Government acquires a fee simple or other long-term interest in the property through negotiation or eminent domain or (4) the Government vacates the leased premises; whichever occurs first. The accrued rent computed on a daily basis shall be due and payable in arrears at the end of each month until the amount accrued by the end of the month has been fully paid.

D5 - Display Advertising (10/96)

If the leased premises are solely for Government use, no advertising matter shall be constructed on or over the premises, unless authorized by the Real Estate Contracting Officer.

D6 - Erection of Signs (10/96)

The Government shall have the right to erect on or attach to the Lessor's premises such signs as may be required to clearly identify the Government's facility. Said signs so erected will remain the property of the Government and shall be removed from the premises upon termination of the Lease.

D7 - Hold Harmless (10/96)

In accordance with and subject to the conditions, limitations and exceptions set forth in the Federal Tort Claims Act of 1948, as amended (28 USC 2671 et. seq.), hereafter termed "the Act" the Government will be liable to persons damaged by any personal injury, death or injury to or loss of property, which is caused by a negligent or wrongful act or omission of an employee of the Government while acting within the scope of his office or employment under circumstances where a private person would be liable in accordance with the law of the place where the act or omission occurred. The foregoing shall not be deemed to extend the Government's liability beyond that existing under the Act at the time of such act or omission or to preclude the Government from using any defense available in law or equity.

D8 - If Minimum Not Delivered (10/96)

If delivered space contains less than the minimum square footage, the Government may cancel the lease. If such cancellation occurs, the Government may exercise its legal rights including charging the Lessor and its surety the increased cost of providing replacement space.

D9-Installation Of Antennas, Cables And Other Appurtenances (10/96)

The FAA shall have the right to install, operate and maintain antennas, wires and their supporting structures including any linking wires, connecting cables and conduits atop and within buildings and structures, or at other locations, as deemed necessary by the Government.

D10 - Interest For Late Payments (10/96)

FAST Version 04/2009

CR 09-48

p. 25

If requested from the Lessor, the Government will pay an interest penalty when payment is not made within (30, 45, 60, 90, etc.)*** days of the due date.

Payment shall be considered as being made on the day a check is dated or an electronic funds transfer is made. All days referred to in this clause are calendar days, unless otherwise specified. Rent shall be paid monthly in arrears and will be due on the first workday of each month and only as provided for by the lease.

The interest penalty shall be at the rate established by the Secretary of the Treasury under Section 12 of the Contract Disputes Act of 1978 (41 U.S.C. 611) that is in effect on the day after the due date. This rate is referred to as the "Renegotiation Board Interest Rate," and it is published in the Federal Register semiannually on or about January 1 and July 1. Interest penalties of less than \$1.00 need not be paid.

Interest penalties will not be paid on delays due to disagreement between the Government and Lessor over the payment amount, requests for additional information or other issues involving contract compliance or on amounts temporally withheld or retain in accordance with the terms of the contract.

Payments other than rent, the Lessor shall prepare and submit an invoice to the designated billing office after completion of the work. An invoice shall include the following items:

- (i) Name and address of the Lessor.
- (ii) Invoice date.
- (iii) Lease Number
- (iv) Government's order number or other authorization.
- (v) Description, price, and quantity of work or services delivered.
- (vi) Name and address of Contractor official to whom payment is to be sent

D11 - Janitorial Services (10/96)

The Lessor shall maintain the leased premises, including outside areas in a clean condition. The Lessor shall provide the labor, materials, equipment and supervision necessary for that servicing. Listed below are the janitorial services to be provided and the frequency of those services.

Daily:

- a. Sweep floors using chemically treated absorbent or dusting tools (such as DEX or equal).
- b. Carpet sweep all carpeted areas, as needed.

FAST Version 04/2009

CR 09-48

p. 26

- c. Empty waste baskets and containers; dispose of waste paper, trash, and other extraneous materials.
- d. Clean toilets rooms, including toilets and soap containers. Furnish and maintain constant supply of deodorant material.
- e. Wash all drinking fountains.
- f. In the restrooms:
 - 1. Clean restroom fixtures and chrome fittings.
 - 2. Clean and refill all dispensers (including deodorant material).
 - 3. Wet mop restroom floors.
 - 4. Sanitize toilets, toilet seats, and urinals.
 - 5. Spot wash walls, partitions, and doors.

2. Weekly:

- a. Dust counters, file cabinets, and telephones, and surfaces of all office furniture, fixtures, and window sills (except desk tops).
- b. Damp mop, and buff all non-carpeted floors.
- c. Vacuum all carpeted areas.

3. Monthly:

- a. Wash waste baskets.
- b. Damp mop and buff all non-carpeted floors.
- c. Vacuum all carpeted areas.

3. Monthly:

- a. Wash waste baskets.
- b. Damp mop and buff all non-carpeted floors; wax and buff non-carpeted floors.
- c. Clean or wash walls as needed to present a neat appearance.
- d. Dust all ledges and flat surfaces within reach.
- e. Dust and clean all light fixtures.
- f. Dust and clean all venetian blinds.

g. Wash restroom walls, partitions, and doors.

4. Semi-Annually:

a. Wash all exterior office windows.

5. Once a Year:

a. Strip old wax from all floor space and rewax. This service is to be performed in conjunction with one of the quarterly cleaning schedules.

b. Shampoo all carpeted floors.

D12 - Measurement For Payment (10/96)

The space will be mutually measured upon delivery. Payment will be made on the basis of actual measurement; however, payment will not be made for delivered space, which is in excess of the maximum square footage solicited.

D13 - Non-Restoration (10/96)

The FAA shall have no obligation to restore and/or rehabilitate, either wholly or partially, the premises under this lease. It is further agreed that the FAA may abandon in place any or all of the structures, improvements and/or equipment installed in or located upon said property by the FAA during its tenure. Notice of abandonment will be conveyed to the Lessor in writing.

D14 – Occupancy Permit (8/02) - The premises offered shall have a valid Occupancy Permit, issued by the local jurisdiction, for the intended use of the Government, or the Offeror shall complete and provide a certified copy of "FAA Safety & Environmental Checklist " form, in lieu of an occupancy permit, at the contracting officer's discretion. The leased premises, all accesses to the leased premises, building operations, equipment, services, or utilities furnished by the Lessor, and activities of other occupants, shall be free of safety, health, and fire hazards. When such hazards are detected, they must be promptly corrected at the Lessor's expense.

D15 - Operating Costs Escalator (10/96)

Beginning with the second year of the lease and each year after, Government shall pay adjusted rent for changes in costs for cleaning services, supplies, materials, maintenance, trash removal, landscaping, water, sewer charges, heating, electricity, and certain administrative expenses attributable to occupancy.

The amount shall be determined by multiplying the total first year's estimated costs of these items, as negotiated and established prior to the lease award, by the percent of change in the cost of living index from the base figure. The base figure shall be the index figure published for the month prior to the lease commencement date. The percent change shall be computed by comparing the base figure with the index figure published for the month, which begins each

successive 12-month period. For example, a lease which commences in June of 1981 would have as the base figure the index published for May of 1981, and that figure would be compared with the index published for May of 1982, May of 1983, and so on, to determine the percent change. The U.S. Department of Labor Revised Consumer Price Index shall measure the cost of living index for Wage Earners and Clerical Workers, U.S. City Average, All Items figure, (1967=100) published by the Bureau of Labor Statistics. Payment shall be made with the monthly installment of fixed rent.

Rental adjustments shall be effective on the anniversary date of the lease. Payment of the adjusted rental rate shall become due on the first workday of the second month following the publication of the cost of living index for the month prior to the lease commencement date.

If Government exercises an option to extend the lease term at the same rate as that of the original term, the option price shall be based on the adjustments during the original term. Annual adjustments will continue.

In the event of any decreases in the cost of living index occurring during the term of occupancy under the lease, the rental amount will be reduced accordingly. The amount of any such reductions will be determined in the same manner as increases in rent provided under this clause.

The base for the operating costs adjustment will be \$ _____

D16-Plans (8/02)

Thirty days after occupancy, lessor must submit a final set of hard copy as-built plans and reproducible floor plans in 1/8" scale depicting rented space and identifying entrances, exits, stairs, windows, partitions, closets, architectural, construction documents to include but not limited to electrical, mechanical, structural, fire protection, plumbing plans, architectural plans, lighting plans, furniture plans, installation plans, typical workstations, etc. A CAD program compatible with the latest release of AutoCAD and accessible and readable by the Government for future use shall generate the plans. The file(s) will be dwg format. All files shall be submitted on 3-1/2-inch double-sided, high-density diskettes, or, if approved by the Contracting Officer, on CD-ROM or QIC (1/4-inch cartridge) tape. The submitted disks shall be labeled with building name, address, list of drawing(s), date of the drawing(s), and Lessor's architect and phone number. The Lessor's operators shall demonstrate the submission on FAA equipment, if requested by the Real Estate Contracting Officer.

D17 - Progressive Occupancy (10/96)

The Government shall pay rent only when the entire premises or suitable units are ready for occupancy. If the agency occupies the space in partial increments, rent will accrue or be paid on a pro rata basis. Rental payments shall become due on the first workday of the month following the month in which an increment of space is occupied, except that should an increment of space be occupied after the fifteenth day of the month, the payment due date will be the first workday of the second month following the month in which it was occupied. The commencement date of the firm term will be a composite determined from all dates of incremental occupancy.

D18 - Tax Adjustment (10/96)

(a) The Government shall pay additional rent for its share of increases in real estate taxes over taxes paid for the calendar year in which its lease commences (base year). Payment will be in a lump sum and become due on the first workday of the month following the month in which paid tax receipts for the base year and the current year are presented, or the anniversary date of the lease, whichever is later. The Government will be responsible for payment only if the receipts are submitted within 60 calendar days of the date the tax payment is due. If no full tax assessment is made during the calendar year in which the Government lease commences, the base year will be the year of a full assessment.

(b) The Government's share of the tax increase will be based on the ratio of the square feet occupied by the Government to the total rentable square feet in the building. If the Government's lease terminates before the end of a calendar year, payment will be based on the percentage of the year in which the Government occupied space. The payment will not include penalties for non-payment or delay in payment. If there is any variance between the assessed value of the Government's space and other space in the building, the Government may adjust the basis for determining its share of the tax increase.

(c) The Government may contest the tax assessment by initiating legal proceedings on behalf of the Government and the Lessor or the Government alone. If the Government is precluded from taking legal action, the Lessor shall contest the assessment upon reasonable notice by the Government. The Government shall reimburse the Lessor for all costs and shall execute all documents required for the legal proceedings. The Lessor shall agree with the accuracy of the documents. The Government shall receive its share of any tax refund. If the Government elects to contest the tax assessment, payment of the rent shall become due on the first workday of the month following conclusion of the appeal proceedings.

(d) In the event of any decreases in real estate taxes occurring during the term of occupancy under the lease, the rental amount will be reduced accordingly. The amount of any such reductions will be determined in the same manner as increases in rent provided under this clause.

D19 - Time Extensions (10/96)

The lease will not be terminated nor the Lessor charged with resulting damage if delays arise from unforeseeable causes beyond the control of the Lessor and/or his contractors, subcontractors, suppliers, or another Government contractor. However, the Lessor shall notify the Real Estate Contracting Officer, in writing, of any delay within 10 calendar days after it begins. The Real Estate Contracting Officer shall ascertain the facts, determine the extent of the delay, and grant extensions when justified.

D20-Unauthorized Negotiating (10/96)

In no event shall the Lessor enter into negotiations concerning the space leased or to be leased with other than the real estate contracting officer or his designee.

D21-Wiring For Telephones (10/96)

The Government reserves the right to provide its own telephone service in the space to be leased. It may have inside wiring and telephone equipment installed by the local telephone company or a private contractor. Alternately, the FAA may wish to consider using inside wiring provided by the building, if available. However, the final decision will remain the Government.

SECURITY REQUIREMENTS

E-1. Facility Security (Updated 4/09)

Security requirements for Government occupied space must meet minimum-security accreditation standards for the type of facility covered by this lease. The FAA Facility Security Management Program defines facility security accreditation standard levels. The security requirements identified below are tailored specifically for the type of facility covered by this solicitation. The Lessor shall provide or make accommodation to provide for all the security requirements listed herein for the leased premises covered by this lease agreement:

Contact your local Servicing Security Element (SSE) at _____ for a list of your security requirements.

The local SSE will determine any additional security upgrades that are required to meet accreditation and shall conduct a final security assessment of the building. The Lessor shall provide maintenance services to the security upgrades installed within the leased premises and covered under this lease.

E-2. Contractor Personnel Suitability Requirements (4/09)

Please see 3.14-2 Contractor Personnel Suitability Requirements (January 2009)

VI. SECTION F - SPECIAL REQUIREMENTS (if applicable)

VII. CERTIFICATION FORMS (8/02) -

See attached forms:

Certification of Seismic Compliance

FAA Safety and Environmental Certification Checklist

FAST Version 04/2009

CR 09-48

p. 31

Vendor/Miscellaneous Payment Information Form

Red Line Content: Real Estate Guidance :
Section 2.6.3 : Attachment - A to Space Lease

-ATTACHMENT A

Lease Number

DTFA__-____-_____

I. SECTION A - GENERAL BUILDING REQUIREMENTS AND SPECIFICATIONS

A1-Ceilings (10/96)

Must have acoustical treatment with a flame spread of 25 or less and smoke development rating of 50 or less.

A2-Doors (10/96)

Exterior doors shall be weather tight, equipped with cylinder locks and door checks, automatic door closures and open outward. The FAA will be furnished at least two master keys and two keys for each lock. Interior doors must be solid wood and at least 32 by 80 inches with a minimum opening of 32 inches and be of sturdy construction. Fire doors shall conform to NFPA Standard No. 80. As designated by the FAA, doors shall be equipped with non-removable hinge pins, and "Best" locks with 7-pin removable cores. The FAA shall provide cores.

A3-Floor Load (8/02)

All adjoining floor areas shall be 1) of a common level not varying more than 1/4 inch over a 10-foot, 0-inch horizontal run in accordance with the American Concrete Institute standards, 2) non-slip, and 3) acceptable to the Real Estate Contracting Officer. Under floor surfaces shall be smooth and level. Office areas shall have a minimum live load capacity of 50 pounds per square foot plus 20 pounds per square foot for moveable partitions. Storage areas shall have a minimum live load capacity of 100 pounds per square foot including moveable partitions. A report showing the floor load capacity, at no cost to the Government, by a registered professional engineer may be required by the Contracting Officer.

A4-General Health and Safety Standards (8/02)

Local Health, Environmental (OSHA and EPA), and Safety Standards and Building Codes shall be complied with when accomplishing any cleaning, construction, renovation, remodeling, maintenance or testing done in the leased space and areas connected to or integrated with the

leased space. Whenever FAA Standards require work processes or precautions to be provided, the Lessor shall coordinate with the FAA during the work so that proper requirements are met.

A5-HVAC (10/96)

Heating, ventilation and air-conditioning systems are required which maintain a temperature range of 68-72 degrees Fahrenheit year-round. These temperatures must be maintained throughout the leased premises and service areas regardless of outside temperatures during hours of operation. For further information see ASHRAE standard ANSI/ ANSI/ASHRAE 62-1999 - Ventilation for Acceptable Indoor Air Quality.

A6-Lighting (10/96)

Modern, diffused, energy efficient (T-8 or better) fluorescent fixtures shall be provided maintaining a uniform lighting level of 50 foot candles at working surfaces. Emergency lighting must provide at least 0.5 foot candles of illumination throughout the exit path, including exit access routes, exit stairways, or other routes such as passageways to the outside of the building.

A7-Painting (8/02)

Prior to occupancy all surfaces must be newly painted with non-lead based paints in colors acceptable to the FAA. All surfaces must be repainted after working hours at Lessor's expense at least every five years. This includes moving and return of the furniture.

Any existing lead based paint shall be properly maintained and managed per existing regulatory requirements. If there is flaking paint, it would need to be sampled for lead. If containing lead, it would need to be abated prior to occupancy. This could be done either by removal or sealing with an encapsulating material.

A8-Parking (10/06)

At no additional cost to the FAA, the Lessor shall provide ** reserved off-street parking spaces located **. The Lessor shall maintain the parking areas in good repair and provide snow and ice removal.

A9- Prior Notification (8/02)

A pre-construction meeting shall be held at the facility prior to the commencement of any cleaning, construction, renovation, remodeling, repair, maintenance or testing within the leased premises and areas connected to or integrated with the leased premises. If any items on the checklist are questionable or undone, full resolution of the issues will be expected before the project starts. The pre-construction meeting will be planned, scheduled, and coordinated, with the Government's supervisor or manager responsible for the facility, at least one week before the execution of the work.

A10-Restrooms and Drinking Fountains (10/96)

FAST Version 04/2009

CR 09-48

p. 33

Separate toilet facilities for men and women shall be provided on each floor where the FAA leases space. Water closets and urinals shall not be visible when the exterior door is open. Each toilet room shall contain toilet paper dispensers, soap dispensers, paper towel dispensers, waste receptacles; a coin operated sanitary napkin dispenser with receptacle for each women's toilet, disposable toilet seat cover dispensers, a convenience outlet, and hot and cold water for all restrooms. (The FAA will advise if additional facilities are required.). The Lessor shall provide a minimum of one chilled drinking fountain on each floor where the FAA leases space.

A11-Window and Floor Covering (8/02)

All exterior windows shall be equipped with window covering. Floors will be carpeted with a commercial grade of carpet acceptable to the FAA. Existing floor and window covering may be accepted at the discretion of the Real Estate Contracting Officer however, prior to occupancy all carpeting and window covering shall be cleaned.

At no additional cost to the FAA, the Lessor shall replace carpeting at least every eight (8) years during FAA occupancy or any time during the lease when:

- Backing or underlayment is exposed
- There are noticeable variations in surface color or texture

Replacement includes moving and return of furniture.

II. SECTION B - SERVICES, UTILITIES, AND MAINTENANCE

B1-Grounds Maintenance (10/96)

The Lessor shall maintain in good condition landscape plants and lawns. The Lessor shall also remove snow and ice from the entrances, exterior walks and parking areas around the premises, prior to and during the Government's normal operating hours.

B2-Pest Control (8/02)

The Lessor shall exterminate and control pests within the premises within a timely manner as required by the Government. Notice shall be provided to the users of the building before any application of herbicide(s)/pesticide(s) or other chemical pest control. OSHA requirements for Hazard Communication shall apply for the use of hazardous materials used in pest control. Copies of Material Safety Data Sheets (MSDS) for all chemicals applied shall be provided to the FAA before application. Only licensed applicators shall be allowed to apply chemicals. Herbicides/pesticides are not to be applied near the outside air intakes of the building during normal working hours and when the system is in operation.

B3-Services and Facilities (10/96)

The Lessor shall provide to the Government, as part of the rental consideration, the following:

Heating, air conditioning, and ventilation that provide for the comfortable occupancy of the premises. Temperatures will be thermostatically controlled to maintain a temperature of 68 - 72 degrees Fahrenheit. These temperatures must be maintained throughout the leased premises and service areas, regardless of outside temperatures, during the FAA's normal hours of operation.

Electrical power to the premises for the operation of lights, communications equipment, and office machines.

Water (hot and cold) and sewer to leased premises.

Trash removal for leased premises.

B4-Utilities Not Provided By The Lessor (10/96)

If the cost of utilities is not included as part of the rental consideration, the Lessor must specify which utilities are excluded. The Lessor shall provide separate meters for utilities to be paid for by FAA. When FAA is to pay for utilities, the lessor will furnish the Real Estate Contracting Officer, prior to occupancy by the FAA, written verification of the meter numbers and certification that these meters will measure FAA usage only. Proration is not permissible. If the cost of utilities for heating, ventilation, and air conditioning is not included as part of the rental considerations, an automatic control system will be provided to assure compliance with heating and air conditioning provisions included in this specifications package.

III.- SECTION C - SAFETY AND FIRE PREVENTION

C1-Fire and Safety Requirements (8/02)

All NFPA Standards addressed in this section reference the current edition of NFPA in place at the signing of this contract. At any point when construction takes place, systems should be brought into compliance according to the current edition of NFPA. The building shall, as required by Code, be equipped with automatic sprinklers which conform to NFPA No. 13, be maintained in accordance with NFPA No. 13A, have electrically supervised control valves (NFPA No. 13), and have water-flow alarm switches connected to automatically notify the local fire department (NFPA No. 72) or central station (NFPA No. 71). The notification of the fire department or central station shall be accomplished through the building fire alarm system. Regardless of code requirements when the leased space (including garage areas under lease by the FAA) is on the 6th floor and above, or below grade, sprinklers are required.

A manual fire alarm system shall be provided, maintained, and tested by the lessor in accordance with NFPA Standard No. 71 and 72 in buildings, which are three (3) or more stories in height or contain more than 50,000 square feet gross floor area. The fire alarm system wiring and equipment must be electrically supervised and automatically notify the local fire department and conform to NFPA Standards No. 70 and 72. Engineered smoke control systems, if present, shall be maintained in accordance with the manufacturer's recommendations.

Fire-safety, equivalent to the requirements stated above in this clause, may be accepted, at the discretion of the Real Estate Contracting Officer, if certified by a Licensed Fire Protection Engineer.

Portable fire extinguishers shall be provided, inspected, and maintained by the lessor in accordance with NFPA Standard No.10.

C2-Halon (8/02)

Wherever halon is used in a facility as a fire extinguishing system, the Lessor shall comply with all NFPA standards regarding use of and safety requirements for the use of halon.

C3-Indoor Air Quality (8/02)

The Lessor shall control contaminants at the source and/or operate the space in such a manner that the indicator levels for carbon monoxide (CO), carbon dioxide (CO₂), and formaldehyde (HCHO), are not exceeded. The indicator levels for office area are as follows: CO-9 parts per million (PPM) time weighted average (TWA - 8-hour sample); CO₂ - 1,000 PPM (TWA); HCHO - 0.1 PPM (TWA). All indoor air contaminant levels in leased space will be kept below appropriate OSHA regulations or Consensus standards, whichever is stricter. Air quality and facility cleaning will be adequate to prevent the growth of mold, mildew and bacteria. Any visual evidence of these will require immediate sampling and remediation. Moisture/standing water will be controlled to prevent the growth of these.

During working hours, ventilation shall be provided in accordance with the latest edition of ANSI/ASHRAE Standard 62, *Ventilation for Acceptable Indoor Air Quality*.

The Lessor shall promptly investigate indoor air quality (IAQ) complaints and shall implement controls including alteration of building operating procedures (e.g., adjusting air intakes, adjusting air distribution, cleaning and maintaining HVAC, etc.). The FAA is responsible for addressing IAQ problems resulting from its own activities.

MSDS will be provided for all cleaning solutions used in the FAA spaces.

C4-OSHA Requirements (10/96)

The Lessor shall provide space, services, equipment, and conditions that comply with Occupational Safety and Health Administration (OSHA) safety and Health standards (29 CFR 1910 and 1926).

C5-Radon (10/96)

Radon levels in space leased to the FAA shall not equal or exceed the EPA action level for buildings of four (4) picocuries per liter (pCi/L). If radon levels are found to be at or above 4 pCi/L, the Lessor shall develop and promptly implement a plan of corrective action.

C6-Refrigerants (8/02)

The Lessor shall identify which refrigerants are used in the HVAC systems in the spaces covered by this lease. The lease should provide for use of refrigerants consistent with EPA and ASHRAE requirements.

C7-Warranty Of Space (8/02)

(a) Notwithstanding inspection and acceptance by the Government or any provision concerning the conclusiveness thereof, the Lessor warrants that all space leased to the Government under this contract, spaces above suspended ceilings in the leased space, air plenums elsewhere in the building which service the leased space, engineering spaces in the same ventilation zone as the leased space, public spaces and common use space (e.g., lobbies, hallways) will, at the time of acceptance and during the term of the lease contract, comply with the asbestos containing material (ACM) and polychlorinated biphenyl (PCB) requirements of the Toxic Substance Control Act. The Real Estate Contracting Officer shall notify the Lessor in writing, within 30 days after the discovery, of any failure to comply with the asbestos requirement. With any construction work, lessor would be required to comply with the OSHA regulations for Asbestos and relevant FAA orders.

(b) The leased premises shall be free of all asbestos-containing material, PCB's, Radon, and other environmentally hazardous substances. If either ACMs or PCBs are found to be in the leased space the Government reserves the right to require the Lessor, at no cost to the GOVERNMENT, to take whatever corrective action as might be required by the Toxic Substance Control Act, EPA regulations and state requirements. All facilities constructed prior to 1981 are to have an asbestos building survey conducted by a qualified inspector including a visual examination and bulk sampling. All ACM survey reports are to be made available to the Real Estate Contracting Officer.

(c) If the Lessor fails, after receipt of notice, to make correction within the specified period of time, the Government shall have the right to make correction and charge to the Lessor the costs occasioned to the FAA or terminate the lease agreement at no cost to the Government.

(d) The rights and remedies of the FAA in this clause are in addition to any other rights and remedies provided by the law and under this contract.

(e) Definitions.

- (1) "Acceptance", as used in this clause means the act of an authorized representative of the Government by which the Government assumes for itself, or as an agent of another, the leased premises as ready for occupancy or approves a portion of the premises for occupancy in accordance with the provisions of this lease contract.
- (2) "Correction", as used in this clause, means (i) the removal, encapsulation or enclosure of any friable asbestos materials found in the space leased to the Government, spaces above suspended ceilings in the leased space, air plenums elsewhere in the building which service the leased space, public spaces, engineering spaces in the same ventilation

zone as the leased space and common use space (e.g., lobbies, hallways). Following such abatement actions, the Lessor shall adhere to the FAA's required post-asbestos-abatement air monitoring program. (ii) With regard to non-friable asbestos materials in good condition, it means the establishment and execution of a special operations and maintenance program and an abatement plan, approved by the Government, to be implemented from the time the materials are discovered through the remainder of the lease term, and (iii) with regard to PCBs, it involves the removal or retrofitting, in accordance with EPA regulations, of any PCB equipment present in the building.

IV. SECTION D – MISCELLANEOUS

D1-Adjustment For Vacant Premises (10/96)

If the Government fails to occupy any portion of the leased premises or vacates the premises in whole or in part prior to expiration of the firm term of the lease, the rental rate shall be reduced as follows: The rate shall be reduced by that portion of the costs per square foot of operating expenses not required to maintain the space. Said reduction shall occur after the Government gives 30 days prior notice to the Lessor, and shall continue in effect until the Government occupies the premises or the lease expires or is terminated.

D2 - Condition Report (10/96)

A joint physical survey and inspection report of the demised premises will be made as of the effective date of this lease, reflecting the then present condition, and will be signed on behalf of the parties hereto.

D3 - Contracting Officer's Representative (10/96)

The Lessor shall address all questions concerning this lease to ** who has been appointed the Contracting Officer's Representative for the administration of this lease, as written.

D4-Day to Day Extension (8/02)

The Government shall continue to occupy the premises for a period not to exceed 180 days after the end of the lease term including all option periods. The rent shall be paid monthly in arrears on a prorated basis at the rate paid on the date of the lease expiration, until one of the following events occurs: (1) the extension day period expires; (2) a new lease commences, (3) the Government acquires a fee simple or other long-term interest in the property through negotiation or eminent domain or (4) the Government vacates the leased premises; whichever occurs first. The accrued rent computed on a daily basis shall be due and payable in arrears at the end of each month until the amount accrued by the end of the month has been fully paid.

D5 - Display Advertising (10/96)

If the leased premises are solely for Government use, no advertising matter shall be constructed on or over the premises, unless authorized by the Real Estate Contracting Officer.

D6 - Erection of Signs (10/96)

The Government shall have the right to erect on or attach to the Lessor's premises such signs as may be required to clearly identify the Government's facility. Said signs so erected will remain the property of the Government and shall be removed from the premises upon termination of the Lease.

D7 - Hold Harmless (10/96)

In accordance with and subject to the conditions, limitations and exceptions set forth in the Federal Tort Claims Act of 1948, as amended (28 USC 2671 et. seq.), hereafter termed "the Act" the Government will be liable to persons damaged by any personal injury, death or injury to or loss of property, which is caused by a negligent or wrongful act or omission of an employee of the Government while acting within the scope of his office or employment under circumstances where a private person would be liable in accordance with the law of the place where the act or omission occurred. The foregoing shall not be deemed to extend the Government's liability beyond that existing under the Act at the time of such act or omission or to preclude the Government from using any defense available in law or equity.

D8 - If Minimum Not Delivered (10/96)

If delivered space contains less than the minimum square footage, the Government may cancel the lease. If such cancellation occurs, the Government may exercise its legal rights including charging the Lessor and its surety the increased cost of providing replacement space.

D9-Installation Of Antennas, Cables And Other Appurtenances (10/96)

The FAA shall have the right to install, operate and maintain antennas, wires and their supporting structures including any linking wires, connecting cables and conduits atop and within buildings and structures, or at other locations, as deemed necessary by the Government.

D10 - Interest For Late Payments (10/96)

If requested from the Lessor, the Government will pay an interest penalty when payment is not made within (30, 45, 60, 90, etc.)***- days of the due date.

Payment shall be considered as being made on the day a check is dated or an electronic funds transfer is made. All days referred to in this clause are calendar days, unless otherwise specified. Rent shall be paid monthly in arrears and will be due on the first workday of each month and only as provided for by the lease.

The interest penalty shall be at the rate established by the Secretary of the Treasury under Section 12 of the Contract Disputes Act of 1978 (41 U.S.C. 611) that is in effect on the day after

the due date. This rate is referred to as the "Renegotiation Board Interest Rate," and it is published in the Federal Register semiannually on or about January 1 and July 1. Interest penalties of less than \$1.00 need not be paid.

Interest penalties will not be paid on delays due to disagreement between the Government and Lessor over the payment amount, requests for additional information or other issues involving contract compliance or on amounts temporally withheld or retain in accordance with the terms of the contract.

Payments other than rent, the Lessor shall prepare and submit an invoice to the designated billing office after completion of the work. An invoice shall include the following items:

- (i) Name and address of the Lessor.
- (ii) Invoice date.
- (iii) Lease Number
- (iv) Government's order number or other authorization.
- (v) Description, price, and quantity of work or services delivered.
- (vi) Name and address of Contractor official to whom payment is to be sent

D11 - Janitorial Services (10/96)

The Lessor shall maintain the leased premises, including outside areas in a clean condition. The Lessor shall provide the labor, materials, equipment and supervision necessary for that servicing. Listed below are the janitorial services to be provided and the frequency of those services.

Daily:

- a. Sweep floors using chemically treated absorbent or dusting tools (such as DEX or equal).
- b. Carpet sweep all carpeted areas, as needed.
- c. Empty waste baskets and containers; dispose of waste paper, trash, and other extraneous materials.
- d. Clean toilets rooms, including toilets and soap containers. Furnish and maintain constant supply of deodorant material.
- e. Wash all drinking fountains.
- f. In the restrooms:

FAST Version 04/2009

CR 09-48

p. 40

1. Clean restroom fixtures and chrome fittings.
2. Clean and refill all dispensers (including deodorant material).
3. Wet mop restroom floors.
4. Sanitize toilets, toilet seats, and urinals.
5. Spot wash walls, partitions, and doors.

2. Weekly:

- a. Dust counters, file cabinets, and telephones, and surfaces of all office furniture, fixtures, and window sills (except desk tops).
- b. Damp mop, and buff all non-carpeted floors.
- c. Vacuum all carpeted areas.

3. Monthly:

- a. Wash waste baskets.
- b. Damp mop and buff all non-carpeted floors.
- c. Vacuum all carpeted areas.

3. Monthly:

- a. Wash waste baskets.
- b. Damp mop and buff all non-carpeted floors; wax and buff non-carpeted floors.
- c. Clean or wash walls as needed to present a neat appearance.
- d. Dust all ledges and flat surfaces within reach.
- e. Dust and clean all light fixtures.
- f. Dust and clean all venetian blinds.
- g. Wash restroom walls, partitions, and doors.

4. Semi-Annually:

- a. Wash all exterior office windows.

5. Once a Year:

a. Strip old wax from all floor space and rewax. This service is to be performed in conjunction with one of the quarterly cleaning schedules.

b. Shampoo all carpeted floors.

D12 - Measurement For Payment (10/96)

The space will be mutually measured upon delivery. Payment will be made on the basis of actual measurement; however, payment will not be made for delivered space, which is in excess of the maximum square footage solicited.

D13 - Non-Restoration (10/96)

The FAA shall have no obligation to restore and/or rehabilitate, either wholly or partially, the premises under this lease. It is further agreed that the FAA may abandon in place any or all of the structures, improvements and/or equipment installed in or located upon said property by the FAA during its tenure. Notice of abandonment will be conveyed to the Lessor in writing.

D14 – Occupancy Permit (8/02) - The premises offered shall have a valid Occupancy Permit, issued by the local jurisdiction, for the intended use of the Government, or the Offeror shall complete and provide a certified copy of "FAA Safety & Environmental Checklist " form, in lieu of an occupancy permit, at the contracting officer's discretion. The leased premises, all accesses to the leased premises, building operations, equipment, services, or utilities furnished by the Lessor, and activities of other occupants, shall be free of safety, health, and fire hazards. When such hazards are detected, they must be promptly corrected at the Lessor's expense.

D15 - Operating Costs Escalator (10/96)

Beginning with the second year of the lease and each year after, Government shall pay adjusted rent for changes in costs for cleaning services, supplies, materials, maintenance, trash removal, landscaping, water, sewer charges, heating, electricity, and certain administrative expenses attributable to occupancy.

The amount shall be determined by multiplying the total first year's estimated costs of these items, as negotiated and established prior to the lease award, by the percent of change in the cost of living index from the base figure. The base figure shall be the index figure published for the month prior to the lease commencement date. The percent change shall be computed by comparing the base figure with the index figure published for the month, which begins each successive 12-month period. For example, a lease which commences in June of 1981 would have as the base figure the index published for May of 1981, and that figure would be compared with the index published for May of 1982, May of 1983, and so on, to determine the percent change. The U.S. Department of Labor Revised Consumer Price Index shall measure the cost of living index for Wage Earners and Clerical Workers, U.S. City Average, All Items figure, (1967=100) published by the Bureau of Labor Statistics. Payment shall be made with the monthly installment of fixed rent.

Rental adjustments shall be effective on the anniversary date of the lease. Payment of the adjusted rental rate shall become due on the first workday of the second month following the publication of the cost of living index for the month prior to the lease commencement date.

If Government exercises an option to extend the lease term at the same rate as that of the original term, the option price shall be based on the adjustments during the original term. Annual adjustments will continue.

In the event of any decreases in the cost of living index occurring during the term of occupancy under the lease, the rental amount will be reduced accordingly. The amount of any such reductions will be determined in the same manner as increases in rent provided under this clause.

The base for the operating costs adjustment will be \$_____

D16-Plans (8/02)

Thirty days after occupancy, lessor must submit a final set of hard copy as-built plans and reproducible floor plans in 1/8" scale depicting rented space and identifying entrances, exits, stairs, windows, partitions, closets, architectural, construction documents to include but not limited to electrical, mechanical, structural, fire protection, plumbing plans, architectural plans, lighting plans, furniture plans, installation plans, typical workstations, etc. A CAD program compatible with the latest release of AutoCAD and accessible and readable by the Government for future use shall generate the plans. The file(s) will be dwg format. All files shall be submitted on 3-1/2-inch double-sided, high-density diskettes, or, if approved by the Contracting Officer, on CD-ROM or QIC (1/4-inch cartridge) tape. The submitted disks shall be labeled with building name, address, list of drawing(s), date of the drawing(s), and Lessor's architect and phone number. The Lessor's operators shall demonstrate the submission on FAA equipment, if requested by the Real Estate Contracting Officer.

D17 - Progressive Occupancy (10/96)

The Government shall pay rent only when the entire premises or suitable units are ready for occupancy. If the agency occupies the space in partial increments, rent will accrue or be paid on a pro rata basis. Rental payments shall become due on the first workday of the month following the month in which an increment of space is occupied, except that should an increment of space be occupied after the fifteenth day of the month, the payment due date will be the first workday of the second month following the month in which it was occupied. The commencement date of the firm term will be a composite determined from all dates of incremental occupancy.

D18 - Tax Adjustment (10/96)

(a) The Government shall pay additional rent for its share of increases in real estate taxes over taxes paid for the calendar year in which its lease commences (base year). Payment will be in a lump sum and become due on the first workday of the month following the month in which paid tax receipts for the base year and the current year are presented, or the anniversary date of the lease, whichever is later. The Government will be responsible for payment only if the receipts

are submitted within 60 calendar days of the date the tax payment is due. If no full tax assessment is made during the calendar year in which the Government lease commences, the base year will be the year of a full assessment.

(b) The Government's share of the tax increase will be based on the ratio of the square feet occupied by the Government to the total rentable square feet in the building. If the Government's lease terminates before the end of a calendar year, payment will be based on the percentage of the year in which the Government occupied space. The payment will not include penalties for non-payment or delay in payment. If there is any variance between the assessed value of the Government's space and other space in the building, the Government may adjust the basis for determining its share of the tax increase.

(c) The Government may contest the tax assessment by initiating legal proceedings on behalf of the Government and the Lessor or the Government alone. If the Government is precluded from taking legal action, the Lessor shall contest the assessment upon reasonable notice by the Government. The Government shall reimburse the Lessor for all costs and shall execute all documents required for the legal proceedings. The Lessor shall agree with the accuracy of the documents. The Government shall receive its share of any tax refund. If the Government elects to contest the tax assessment, payment of the rent shall become due on the first workday of the month following conclusion of the appeal proceedings.

(d) In the event of any decreases in real estate taxes occurring during the term of occupancy under the lease, the rental amount will be reduced accordingly. The amount of any such reductions will be determined in the same manner as increases in rent provided under this clause.

D19 - Time Extensions (10/96)

The lease will not be terminated nor the Lessor charged with resulting damage if delays arise from unforeseeable causes beyond the control of the Lessor and/or his contractors, subcontractors, suppliers, or another Government contractor. However, the Lessor shall notify the Real Estate Contracting Officer, in writing, of any delay within 10 calendar days after it begins. The Real Estate Contracting Officer shall ascertain the facts, determine the extent of the delay, and grant extensions when justified.

D20-Unauthorized Negotiating (10/96)

In no event shall the Lessor enter into negotiations concerning the space leased or to be leased with other than the real estate contracting officer or his designee.

D21-Wiring For Telephones (10/96)

The Government reserves the right to provide its own telephone service in the space to be leased. It may have inside wiring and telephone equipment installed by the local telephone company or a private contractor. Alternately, the FAA may wish to consider using inside wiring provided by the building, if available. However, the final decision will remain the Government.

~~V. SECTION E—SECURITY REQUIREMENTS~~

E-1. Facility Security (~~4~~Updated 4/0709)

Security requirements for Government occupied space must meet minimum-security accreditation standards for the type of facility covered by this lease. The FAA Facility Security Management Program defines facility security accreditation standard levels. The security requirements identified below are tailored specifically for the type of facility covered by this solicitation. The Lessor shall provide or make accommodation to provide for all the security requirements listed herein for the leased premises covered by this lease agreement:

Contact your local Servicing Security Element (SSE) at _____ for a list of your security requirements.

The local SSE will determine any additional security upgrades that are required to meet accreditation and shall conduct a final security assessment of the building. The Lessor shall provide maintenance services to the security upgrades installed within the leased premises and covered under this lease.

E-2. Contractor Personnel Suitability Requirements (~~1/07~~) ~~(a) This clause applies to the extent that this contract requires contractor employees, subcontractors, or consultants to have unescorted access to FAA: (1) Facilities; (2) Sensitive information; and/or (3) Resources regardless of the location where such access occurs, and none of the exceptions of FAA Order 1600.72A, Contractor and Industrial Security Program, Chapter 5, paragraphs 4, 6, 7 and 8 pertains. Definitions of applicable terminology are contained in the corresponding guidance and Order 1600.72A, appendix A. (b) Consistent with FAA Order 1600.72A, the FAA Servicing Security Element (SSE) has approved designated risk levels for the positions under the contract. (c) Not later than five (5) business days, not to exceed a maximum of 30 days, after contract award (or date of modification, if this provision is included by modification to an existing contract), for each employee in a listed position requiring access, provided, no previous background investigations can be supported as described below, the contractor will submit the following documentation to the SSE for an employment suitability determination: — Standard Form (SF) 85P, Questionnaire for Public Trust Positions as designated by the Contractor Position Risk/Sensitivity Level Designation Record, FAA Form 1600-77, will be completed (all questions answered) in accordance with the instruction sheet. — One fingerprint card (FD-258). Fingerprints will be taken by those individuals who have been identified, as either, a Trusted Agent or a Personal Identity Verification (PIV) registrar (SSE). In some instances, the fingerprint only may be required and an OF 306 Declaration for Federal Employment, most current edition, will also be submitted. The applicant will appear in person and provide two forms of identity source documents in original form to the PIV Registrar (SSE) or the authorized Trusted Agent. The identity source documents must come from the list of acceptable documents included in Form I-9, OMB No. 1115-0136, Employment Eligibility Verification or version of the DOT F 1681 containing the list of acceptable identity verification documents. At least one document will be a valid State or Federal Government issued picture Identification. A signed I-9~~

Form may be used but must indicate the two source documents that were verified. The type of investigation conducted will be determined by the position risk level designation for all duties, functions, and/or tasks performed and will serve as the basis for granting a favorable employment suitability authorization as described in FAA Order 1600.72A. If an employee has had a previous U. S. Government conducted background investigation which meets the requirements of Chapter 5 of FAA Order 1600.72A and Homeland Security Presidential Directive 12 (HSPD-12), it will be accepted by the FAA. However, the FAA reserves the right to conduct further investigations, if necessary. For each contractor employee for which a previous background investigation was completed, the contractor will provide, in writing to the SSE, the name, date of birth, place of birth, and social security number of the employee, the name of the investigating entity, type of background investigation conducted, and approximate date the previous background investigation was completed. For all contracts over six (6) months in duration, the minimum background investigation requirement will be a National Agency Check with Inquiries (NACI). Please check with your SSE for final determination as to OPM background investigation type required. The contract may include positions that are temporary, seasonal, or under escort only. In such cases, a FAA Form 1600-77 for each specific position will be established as the investigative requirements may differ from the NACI. The contractor must submit the required information with a transmittal letter referencing the contract number and this request to: Headquarters Contracts: Manager, Personnel Security Division, AIN-400, Room 315, Washington, DC 20591 Regional and Center Contracts: [CO to insert appropriate Regional or Center information here or enter "none" if not applicable] The transmittal letter must also include a list of all of the names of contractor employees and their positions for which completed forms will be submitted to the SSE pursuant to this Clause. A copy of the transmittal letter must also be provided to the Contracting Officer/Contracting Officer's Technical Representative (COTR) minus any privacy act information. (d) The contractor must submit the information required by Section (c) of this Clause for any new employee not listed in the Contractor's initial submission who is hired into any position identified in Section (c) of this Clause. (e) The Contracting Officer will provide notice to the contractor when any contractor employee is found to be unsuitable or otherwise objectionable, or whose conduct appears contrary to the public interest, or inconsistent with the best interest of national security. The contractor must take appropriate action, including the removal of such employee from working on this FAA contract, at their own expense. The Contracting Officer will confirm to the SSE that the action has been taken. (f) No contractor employee will work in a high, moderate, or low risk position unless the SSE has received all forms necessary to conduct any required investigation and has authorized the contractor employee to begin work. (g) As applicable, the contractor must submit quarterly/bi-annual reports to the Contracting Officer with a copy to the SSE and the Operating Office on or before the fifth (5th) business day following each report period. This report must include a complete alphabetical listing of all current contractors who are currently supporting the contract and a separate listing of all terminated contractors. (h) The contractor must notify the CO within one (1) business day after any employee identified pursuant to Section (c) of this Clause is terminated from performance on the contract. (i) The Contracting Officer may also, after coordination with the SSE and other security specialists, require contractor employees to submit any other security information (including additional fingerprinting) deemed reasonably necessary to protect the interests of the FAA. In this event, the contractor must provide, or cause each of its employees to provide such security information to the SSE, and the same transmittal letter requirements of Section (c) of this Clause applies. (j)

~~The contractor and/or subcontractor(s) must immediately contact the Servicing Security Elements (Regional and/or Center Security Divisions) or AIN-400 at Headquarters in the event an employee is arrested (detained by law enforcement for any offenses, other than minor traffic offenses) or is involved in theft of government property or the contractor becomes aware of any information that may raise a question about the suitability of a contractor employee. (k) Failure to submit information required by this clause within the time required may be determined by the Contracting Officer a material breach of the contract. (l) If subsequent to the effective date of this contract, the security classification or security requirements under this contract are changed by the Government and if the changes cause an increase or decrease in direct contract costs or otherwise affect any other term or condition of this contract, the contract will be subject to an equitable adjustment. (m) The contractor agrees to insert terms that conform substantially to the language of this clause, including this paragraph (l) but excluding any reference to the Changes clause of this contract, in all subcontracts under this contract that involve access and where the exceptions under Chapter 5, FAA Order 1600.72A do not apply. (n) The Contracting Officer will ensure the SSE receives a list of all proposed contractor employees, the name of the contracting company, contract number, duty location, identification of the funding line of business, and the names of the contracting officers and COTR for each contract within five (5) business days of contract award. If the Contracting Officer provided the SSE a solicitation number during pre-award, the contracting officer will ensure the SSE is notified of the contract number. (o) Contractor employees who have not undergone a background investigation must be escorted at all times. In some instances, a contractor employee may be required to serve as an escort. In this situation, the contractor employee must have a completed and favorably adjudicated National Agency Check with Inquiries (NACI). E-3. Government Issued Keys, Personal Identity Verification (PIV) cards, and Vehicle Decals (1/0709)~~

~~(a) It may become necessary for the Government to issue keys, PIV cards, vehicle decals, and/or access control cards to contractor employees. Prior to or upon completion or termination of the work required hereunder, the contractor must return all such Government-issued items to the issuing office with notification to the Contracting Officer's Technical Representative (COTR). When contractor employees who have been issued such items are terminated or no longer required to perform the work, the Government-issued items must be returned to the Government within three (3) business days or upon termination of the contract or the employee. Improper use, possession or alteration of FAA issued keys, PIV Cards and/or vehicle decals is subject to penalties under Title 18, USC 499, 506, and 701. (b) In the event such keys, PIV Cards, or vehicle decals are not returned, the contractor understands and agrees that the Government may, in addition to any other withholding provision of the contract, withhold [CO to enter appropriate amount] for each key PIV Card, and vehicle decal not returned. If the keys, PIV Cards, or vehicle decals are not returned within 30 calendar days from the date the withholding action was initiated, any amount so withheld must be forfeited by the contractor. (c) Access to aircraft ramp/hangar areas is authorized only to those persons displaying a flight line identification card and for vehicles, a current ramp permit issued pursuant to Title 49, Part 1542, Code of Federal Regulations. (d) The Government retains the right to inspect inventory, or audit PIV Cards, keys, vehicle decals, and access control cards issued to the contractor in connection with the contract at the convenience of the Government. Any items not accounted for, to the satisfaction of the Government will be assumed to be lost and the provisions of section (b) apply. (e) Keys must be obtained from the COTR who will require the contractor to sign a receipt for each key~~

obtained. Lost keys, PIV Cards, vehicle decals, and access control cards must immediately be reported concurrently to the Contracting Officer (CO), COTR, and [CO to insert name of local security division or staff and facility management office]. Electronic keying cards are handled in the same manner as metal keys. (f) Each contract employee, during all times of on-site performance at the [CO to insert location] must prominently display his/her current and valid PIV card on the front portion of his/her body between the neck and waist. Each PIV cardholder must not affix pins, stickers, or other decorations to the PIV. (1) Prior to any contractor employee obtaining a PIV Card or vehicle decals, the contract employee is required to report in person to the SSE Registrar or an FAA designated trusted agent for fingerprinting, photographing, and to submit their required investigation forms as described in AMS Please see 3.14-2; Contractor Personnel Suitability Requirements. The investigative forms must be submitted to [CO to insert name and location of security division or staff] by the contractor in a sealed envelope either hand carried by the contractor or sent via U.S. mail to: [CO to insert mailing address]. The SSE will review the forms and approve interim suitability prior to the contract employee beginning work. When an interim is granted by the SSE, the individual may begin work under escort until their OPM fingerprint check has been returned and successfully adjudicated at such time they can then be badge. If the contract employee requires a PIV Card, the fingerprint check must be completed and favorably adjudicated by the SSE prior to approval or issuance of the PIV card. (2) To obtain the PIV Card, contractor employee must submit an identification Card/Credential Application (DOT 1681) signed by the contractor employee and by the authorized trusted agent (when applicable) and also by the authorized sponsor to the CO or to the COTR. The DOT 1681 must contain, as a minimum, under the "Credential Justification" heading, the name of the contractor/company, the contract number or the appropriate acquisition identification number, the expiration date of the contract or the task (whichever is sooner), and the required signatures. The contractor will be notified when the DOT 1681 has been approved and is ready for processing by the [CO to insert name and location of the person who will process the document]. Arrangements for processing the identification cards, including photographs and lamination can be made by the contacting [CO to insert point of contact with phone January number]. (3 2009) The contractor must contact the SSE to obtain the procedures that the contractor's employees must utilize to obtain their PIV Card. (g) The contractor is responsible for ensuring final out-processing is accomplished for all departing contractor employees. Final out-processing must be accomplished by close of business the final workday of the contractor employee or the next day under special conditions. The SSE must be notified in writing and ensure that all FAA medial, including the PIV card are returned to the SSE. E-4. — Escort Clause (1/07) When the SSE has determined that contractor employees or other persons by agreement are exempt from any investigative requirements, those contractor employees must be escorted at all times by an FAA or contractor personnel who have been appropriately investigated, favorably adjudicated, and authorized to provide escort, while on FAA premises having access to FAA facilities, sensitive information, and/or resources. The escort must keep the escort required contractor employee or other person in plain view at all times and must be constantly aware of the contractor employee's or other person's actions. E-5 — Foreign Nationals as Contractor Employees (1/07) (a) Each employee of the contractor must be a citizen of the United States of America, or an alien who has been lawfully admitted for permanent residence as evidenced by Alien Registration Receipt Card Form I-151, or who presents other evidence from the U.S. Citizenship and Immigration Service that employment must not affect his/her immigration status. (b) Aliens and foreign nationals proposed under this

~~contract must meet the following conditions in accordance with FAA Order 1600.72A, chapter 5, paragraph 7 & 8: (1) Must have resided within the United States for three (3) of the last five (5) years unless a waiver of this requirement is requested and approved in accordance with the requirements stated in FAA Order 1600.72A, chapter 5, paragraph 9; (2) A risk or sensitivity level designation can be made for the position; and (3) The appropriate security related background investigation/inquiry can be adequately conducted. (e) Interim suitability requirements may not be applied unless the position is low/moderate in risk, and/or temporary, and/or is not in a critical area position. E 6.— Sensitive Unclassified Information (SUI) (1/07) (a) — Sensitive information must be restricted to specific contractors who: (1) — Have a need "to know" to perform contract tasks; (2) — Meet personnel suitability security requirements to access sensitive information; and (3) — Successfully complete a non-disclosure agreement (NDA). (b) — The contractor must develop and implement procedures to ensure that sensitive information is handled in accordance with FAA requirements and at a minimum, must address: (1) Steps to minimize risk of access by unauthorized persons during business and non-business hours to include storage capability; (2) Procedures for safeguarding during electronic transmission (voice, data, fax) mailing or hand carrying; (3) Procedures for protecting against commingling of information with general contractor data system/files; (4) Procedures for marking documents with both the protective marking and the distribution limitation statement as needed; (5) Procedures for the reproduction of subject material; (6) Procedures for reporting unauthorized access; and (7) Procedures for the destruction and/or sanitization of such material.~~

VI. SECTION F - SPECIAL REQUIREMENTS (if applicable)

VII. CERTIFICATION FORMS (8/02) -

See attached forms:

Certification of Seismic Compliance

FAA Safety and Environmental Certification Checklist

Vendor/Miscellaneous Payment Information Form
